





## **DUPLEX SEPARATE TENSION BASS DRUMS**



Here's our old standby. We put this type of Drum on the market over twenty-five

years ago.

The Duplex Separate Tension Bass Drum is the choice of hundreds of professional drummers, owing to its WONDERFUL TONE, STURDY CONSTRUCTION and BEAUTIFUL APPEARANCE. It also has its advantages. The drum is equipped with one thick head and one medium head so that it can be used for two kinds of work by simply turning the drum around. No need to tear the whole drum apart to replace a broken head. One side can be taken off without affecting the other.

Shell is of laminated construction, heavily reinforced, which makes the shell very strong and yet light in weight. Choice of Mahogany or Bird's-Eye Maple Finish. Natural

finish maple Counter Hoops.

Equipped with Separate Tension Rods, thumbscrew type. Best quality Heads.

west dustrick treats.		The state of the s	10 mm 10 mm
Number 30 30-A	Size 12x24" 12x26"	Number 33 33-A	Size 12x32" 14x32"
30-B	14x26" 12x28"	33-B 33-C	16x32" 18x32"
31-A 31-B	14x28" 16x28"	34 34-A	14x34" 16x34"
31.C	18x28" 12x30"	34-B	18x34" 14x36"
32-A 32-B	. 14x30"	35-A 35-B	16x36"
32-C	. 16x30" . 18x30"	33-В	10230

・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・		MANUFACTURES OF THE PARTY OF TH	0.00
Mackintosh Covers (Cont.)	The same	*929-38* White Calf	8.00
Catalog No.	Price	*930-40" White Calf	9.00
THE RESIDENCE OF THE PARTY OF T		*933-17" So. African	1.50
757—For 16x32" B. D	6.00	*934-18* So. African	1.75
758-For 18x32" B. D	6.00	*935-19* 5o. African	2.00
759-For 14x14" B. D	9.00	*93620" So. African	2.25
760-For 16x34" B. D	9.00		
	9.00	*937—22" So. African	2.50
761-For 18x34" B. D.		†942-29" Celf Tymp	7.00
762-Fer 14×36" B. D	9.00		100000
763-For 16x16" B. D	9.00	†943-301 Calf Tymp.	7.50
764-For 3x14" S. D	2.50	1944-31" Calf Tymp	8.00
765-For 4x14" S. D.	2.50		2000
		†945-32" Calf Tymp	8.50
766 For 5x14' 5. D.	2.50	†946-33" Calf Tymp	9.00
767-For 6x14" S. D	2.50		
768-For 61/2x14" S. D	3.00	†947-34" Calf Tymp 1	0.00
769—For 7x14" S. D	3.00	1948-36* Calf Tymp 1	2.00
	2.50		0.00
770-For 3x15' S. D.			
771-For 4x15" S. D.	2.50	951-Professional Outfit 9	5.00
772-For 5x15" S. D	2.50	The second secon	
773-For 6x15" S. D	2.50	CONTRACTOR PRIME CORD	-
774-For 61/2×15" S. D	3.00	STANDARD DRUM CORP	9
	3.00	DRUM	
		CONTRACTOR CONTRACTOR OF THE PROPERTY OF THE P	Market S
776—For 8x15* S. D	3.00	Committee and a committee of the committ	Price
777-For 10x15" 5. D.	3.00	*1100—10x15"\$2	2.00
776-For 6x16" S. D	3.00	*1101—10×16" 2	2 00
779-For 7x16" S. D	3.00	101-10110	2.00
	3.00	*1102—12x16" 2	2.00
780 For 8x16' S. D	10000	AND DESCRIPTION OF THE PARTY OF	
781-For 10x16" S. D.	3.00	\$1811-Orchestra Belle	0.00
762-For 12x16* S. D	3.00	THE RESERVE OF THE PROPERTY OF THE PARTY OF	
	15.00	THE PROPERTY OF THE PROPERTY O	
\$800-Xylophone	The second second second	IMPROVED THUMBSCREV	
\$834—Xylophone	70.00	BASS DRUMS	
\$870-Xylophone	125 00		
toro—Aytopnone	23.00	*2412C—12x24"\$2	
1872—Xylophone	150.00	*2612C—12x26" 2	0.75
\$872—Xylophone		*2612C—12x26" 2 *2614C—26x14" 3	0.00
671 6" Triangle	1.00	*2612C—12x26" 2 *2614C—26x14" 3 *2812C—12x28" 3	0.00
873— 6" Triangle	1.25	*2614C—26×14"3 *2812C—12×28"3	0.00
873— 6" Triangle	1.00	*2614C—26x14" 3 *2812C—12x28" 3 *2814C—14x28" 3	0.00 1.00 2.50
873— 6" Triangle	1.00 1.25 1.35	*2614C—26x14" 3 *2812C—12x28" 3 *2814C—14x28" 3 *2816C—16x28" 3	0.00 1.00 2.50 3.50
873— 6" Triangle	1.00 1.25 1.35 2.50	*2614C—26×14° 3 *2812C—12×28° 3 *2814C—14×28° 3 *2816C—16×28° 3 *2816C—16×28° 3	0.00 1.00 2.50 3.50 4.50
873— 6" Triangle	1.00 1.25 1.35	*2614C—26×14° 3 *2812C—12×28° 3 *2814C—14×28° 3 *2816C—16×28° 3 *2816C—16×28° 3	0.00 1.00 2.50 3.50
873— 6" Triangle	1.25 1.35 2.50 1.25	*2614C—26x14° 3 *2812C—12x28° 3 *2814C—14x28° 3 *2816C—16x28° 3 *2816C—18x28° 3 *3012C—12x30° 3	0.00 1.00 2.50 3.50 4.50
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25	*2614C—26x14° 3 *2812C—12x28° 3 *2814C—14x28° 3 *2816C—16x28° 3 *2816C—18x28° 3 *3012C—12x30° 3 *3014C—14x30° 3	0.00 1.00 2.50 3.50 4.50 4.50 5.00
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .12	*2614C—26x14° 3 *2812C—12x28° 3 *2814C—14x28° 3 *2816C—16x28° 3 *2816C—18x28° 3 *3012C—12x30° 3 *3014C—14x30° 3 *3014C—16x30° 3	0.00 1.00 2.50 3.50 4.50 4.50 5.00 6.00
873— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .12 .08	*2614C—26x14°  *2812C—12x28°  *2814C—14x28°  *2816C—16x28°  *2816C—16x28°  *3012C—12x30°  *3014C—14x30°  *3016C—16x30°  *3016C—16x30°  *3016C—16x30°  *3016C—16x30°  *3016C—16x30°  *3016C—16x30°  *3016C—16x30°	0.00 1.00 2.50 3.50 4.50 4.50 5.00 6.00 7.00
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .12 .08 2.00	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3014C—16x30° *3016C—16x30° *3212C—12x32° *3212C—12x32°	0.00 1.00 2.50 3.50 4.50 4.50 5.00 6.00 7.00
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .12 .08 2.00 2.25	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2814C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3012C—12x32° *3212C—12x32° *3212C—12x32° *3212C—12x32°	0.00 1.00 2.50 3.50 4.50 4.50 5.00 6.00 7.00 7.73
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .12 .08 2.00	*2614C—26x14°  *2812C—12x28°  *2814C—14x28°  *2814C—14x28°  *2816C—16x28°  *3012C—12x30°  *3014C—14x30°  *3016C—16x30°  *3016C—16x30°  *3214C—12x30°  *3214C—12x30°  *3214C—14x32°  *3214C—14x32°  *3216C—16x32°	0.00 1.00 2.50 3.50 4.50 4.50 5.00 6.00 7.00
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .12 .08 2.00 2.25 2.50	*2614C—26x14°  *2812C—12x28°  *2814C—14x28°  *2814C—14x28°  *2816C—16x28°  *3012C—12x30°  *3014C—14x30°  *3016C—16x30°  *3016C—16x30°  *3214C—12x30°  *3214C—12x30°  *3214C—14x32°  *3214C—14x32°  *3216C—16x32°	0.00 1.00 2.50 3.50 4.50 4.50 5.00 7.00 7.75 9.25
## 873— 6" Triangle ## 875—10" Triangle ## 875—10" Triangle ## 875—10" Triangle ## 876—Double Rattle ## 878—Log ## 879—Cap Scraw ## 880—Hook ## 900—17" Kangaroo ## 901—18" Kangaroo ## 902—19" Kangaroo ## 903—20" Kangaroo ## 903—903—903—903—903—903—903—903—903—903—	1.00 1.25 1.35 2.50 1.25 .12 .12 .08 2.00 2.25 2.50 2.75	*2614C—26x14°  *2812C—12x28°  *2814C—14x28°  *2814C—14x28°  *2816C—16x28°  *3012C—12x30°  *3014C—14x30°  *3016C—16x30°  *3016C—16x30°  *3212C—12x32°  *3214C—14x32°  *3216C—16x32°  *3216C—16x32°  *3216C—16x32°  *3216C—16x32°  *3216C—16x32°  *3216C—16x32°  *3216C—16x32°  *3216C—16x32°	0.00 1.00 2.50 3.50 4.50 4.50 6.00 7.00 7.75 9.25 0.50
873— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .12 .08 2.00 2.25 2.50 2.75 3.00	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2818C—18x28* *3012C—12x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3214C—14x32° *3214C—14x32° *3216C—16x32° *3214C—14x34° *3414C—14x34°	0.00 1.00 2.50 3.50 4.50 6.00 7.00 7.75 9.25 0.50
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .12 .08 2.00 2.25 2.50 2.75 3.00 2.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3414C—14x34° *3416C—16x34°	0.00 1.00 2.50 3.50 4.50 4.50 6.00 7.00 7.73 9.25 0.50 1.75 3.25
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.75	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2814C—14x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—6x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3214C—14x34° *3416C—16x34° *3416C—16x34° *3416C—16x34°	0.00 1.00 2.50 3.50 4.50 6.00 7.00 7.75 9.25 0.50
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.50 2.75 3.00	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2814C—14x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—6x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3214C—14x34° *3416C—16x34° *3416C—16x34° *3416C—16x34°	0.00 1.00 2.50 3.50 4.50 4.50 6.00 7.00 7.73 9.25 0.50 1.75 3.25
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.50 2.75 3.00	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3214C—14x32° *3416C—16x32° *3414C—14x34° *3416C—16x34° *3418C—18x34° *3418C—18x34° *3418C—18x34°	0.00 1.00 2.50 3.50 4.50 4.50 6.00 7.00 7.73 9.25 6.00 1.75 3.25 6.00
673— 6" Triangle 674— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Log 879—Cap Scraw 880—Hook *990—17" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *904—22" White Calf *910—19" White Calf *911—20" White Calf	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.50 2.75 3.00 3.25	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2814C—14x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—6x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3214C—14x34° *3414C—14x34° *3416C—16x34° *3416C—16x34° *3416C—16x34° *3416C—18x34°	0.00 1.00 2.50 3.50 4.50 4.50 6.00 7.00 7.73 9.25 0.50 1.75 5.00
873— 6" Triangle 874— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Lug 879—Cap Seraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *902—19" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" White Calf *911—20" White Calf *911—20" White Calf *912—22" White Calf	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.00 3.25 3.75	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—6x30° *3016C—6x30° *3212C—12x32° *3214C—14x32° *3214C—14x32° *3216C—16x32° *3416C—16x34° *3416C—16x34° *3416C—18x34° *3416C—18x34° *3416C—18x34° *3416C—18x34° *3614C—14x36° *3616C—16x36°	0.00 1.00 2.50 3.50 4.50 6.00 7.00 7.73 9.25 0.50 6.00 7.75 9.25 0.50 6.00 7.75
673— 6" Triangle	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.75 3.00 3.25 3.75 3.75	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—6x30° *3016C—6x30° *3212C—12x32° *3214C—14x32° *3214C—14x32° *3216C—16x32° *3416C—16x34° *3416C—16x34° *3416C—18x34° *3416C—18x34° *3416C—18x34° *3416C—18x34° *3614C—14x36° *3616C—16x36°	0.00 1.00 2.50 3.50 4.50 6.00 7.00 7.73 9.25 0.50 6.00 7.75 9.25 0.50 6.00 7.75
873— 6" Triangle 874— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Log 879—Cap Scraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *901—18" Kangaroo *903—20" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *908—17" White Calf *910—19" White Calf *911—20" White Calf *911—20" White Calf *911—20" White Calf *912—22" White Calf *914—28" Angora	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.75 3.00 3.25 3.75 3.50 4.00	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—6x30° *3016C—6x30° *3212C—12x32° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x36° *3616C—16x36° *3616C—16x36° *3616C—16x36°	0.00 1.00 2.50 3.50 4.50 6.00 7.00 7.73 9.25 0.50 6.00 7.75 9.25 0.50 6.00 7.75
873— 6" Triangle 874— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Log 879—Cap Scraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *901—18" Kangaroo *903—20" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *908—17" White Calf *910—19" White Calf *911—20" White Calf *911—20" White Calf *911—20" White Calf *912—22" White Calf *914—28" Angora	1.00 1.23 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.00 2.75 3.75 3.75 3.50 4.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—6x30° *3016C—6x30° *3212C—12x32° *3214C—14x32° *3214C—14x32° *3216C—16x32° *3416C—16x34° *3416C—16x34° *3416C—18x34° *3416C—18x34° *3416C—18x34° *3416C—18x34° *3614C—14x36° *3616C—16x36°	0.00 1.00 2.50 3.50 4.50 6.00 7.00 7.73 9.25 0.50 6.00 7.75 9.25 0.50 6.00 7.75
673— 6" Triangle 674— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle  \$877—Practice Pad 878—Log 879—Cap Scraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *901—18" Kangaroo *903—20" Kangaroo *904—22" Kangaroo *908—17" White Calf *910—19" White Calf *911—20" White Calf *911—20" White Calf *911—20" White Calf *914—28" Angora *915—30" Angora *915—30" Angora	1.00 1.23 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.00 2.75 3.75 3.75 3.50 4.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—6x30° *3016C—6x30° *3212C—12x32° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x36° *3616C—16x36° *3616C—16x36° *3616C—16x36° *3616C—16x36° *3616C—16x36° *3616C—16x36° *3616C—16x36°	0.00 1.00 2.50 4.50 4.50 6.00 7.00 7.73 9.25 0.50 1.75 3.00 6.00 7.70
673— 6" Triangle 674— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Log 879—Cap Scraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *902—19" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" White Calf *910—19" White Calf *911—20" White Calf *911—20" White Calf *911—20" White Calf *911—20" White Calf *914—28" Angora *915—30" Angora *916—32" Angora	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.00 2.75 3.75 3.75 3.50 4.50 5.00	*2614C—26x14"  *2812C—12x28"  *2814C—14x28"  *2816C—16x28"  *2818C—18x28*  *3012C—12x30"  *3014C—14x30"  *3016C—16x30"  *3016C—16x30"  *3018C—12x32"  *3212C—12x32"  *3214C—14x32"  *3216C—16x32"  *3216C—16x34"  *3416C—16x34"  *3416C—16x34"  *3416C—16x36"  *3616C—16x36"  *3616C—16x36"  *3616C—16x36"  *3615C—16x36"  *5615—6x15"  *33	0.00 1.00 2.50 3.50 4.50 4.50 6.00 7.00 7.70 9.25 9.25 9.25 9.25 9.20 V
873— 6" Triangle 874— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Log 879—Cap Seraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" White Calf *910—19" White Calf *910—19" White Calf *911—20" White Calf *914—28" Angora *915—30" Angora *916—32" Angora *916—32" Angora *918—36" Angora	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.25 3.75 3.25 4.00 4.50 5.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x36° *3616C—16x36° *3	0.00 1.00 2.50 4.50 4.50 4.50 6.00 7.00 7.73 9.25 9.25 9.25 9.25 9.25 9.25 9.25 9.25
673— 6" Triangle  874— 8" Triangle  875—10" Triangle  875—10" Triangle  \$876—Double Rattle  \$877—Practice Pad  878—Lug  879—Cap Seraw  880—Hook  *900—17" Kangaroo  *901—18" Kangaroo  *902—19" Kangaroo  *903—20" Kangaroo  *904—22" Kangaroo  *904—22" Kangaroo  *908—17" White Calf  *910—19" White Calf  *911—20" White Calf  *911—20" White Calf  *911—20" White Calf  *914—28" Angora  *915—30" Angora  *916—32" Angora  *917—34" Angora  *918—36" Angora  *918—36" Angora	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.75 3.00 3.25 3.75 3.50 4.50 5.50 6.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—4x30° *3014C—4x30° *3016C—16x30° *3212C—12x32° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x34° *3416C—14x36° *3416C—14x36° *3416C—14x36° *3416C—14x36° *3416C—14x36° *3416C—14x36° *3416C—14x36° *3416C—14x36° *3416C—14x36° *3416C—16x36°  IMPROVED THUMBSCREV BAND DRUMS *5615—6x15° *5617—8x15° *5617—8x15°	0.00 1.00 2.50 3.50 4.50 4.50 4.50 6.00 7.00 7.70 9.25 9.25 9.25 9.25 9.25 9.25 9.25 9.25
673— 6" Triangle  874— 8" Triangle  875—10" Triangle  \$7676—Double Rattle  \$877—Practice Pad  878—Lug  879—Cap Scraw  880—Hook  *900—17" Kangaroo  *901—18" Kangaroo  *903—20" Kangaroo  *904—22" Kangaroo  *904—22" Kangaroo  *908—17" White Calf  *910—19" White Calf  *911—20" White Calf  *911—20" White Calf  *912—22" White Calf  *914—28" Angora  *915—30" Angora  *916—32" Angora  *916—32" Angora  *917—34" Angora  *918—36" Angora  *919—38" Angora	1.00 1.23 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.75 3.00 3.25 3.50 4.50 5.00 5.50 6.50 7.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x36°  IMPROVED THUMBSCREV BAND DRUMS *5615—6x15° *5616—7x15° *5618—10x15° *5618—10x15°	0.00 1.00 2.50 3.50 4.50 4.50 4.50 6.00 7.00 7.70 9.25 9.25 9.25 9.25 9.25 9.25 9.25 9.25
673— 6" Triangle 674— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle #877—Practice Pad 878—Log 879—Cap Scraw 880—Hook #900—17" Kangaroo #901—18" Kangaroo #902—19" Kangaroo #902—19" Kangaroo #903—20" Kangaroo #904—22" Kangaroo #904—22" Kangaroo #904—22" Kangaroo #904—22" White Calf #910—19" White Calf #911—20" White Calf #911—20" White Calf #912—22" White Calf #914—28" Angora #914—38" Angora #915—30" Angora #916—32" Angora #917—34" Angora #918—36" Angora #918—36" Angora #919—38" Angora	1.00 1.23 1.35 2.50 1.25 .12 .08 2.00 2.25 2.50 2.75 3.00 2.75 3.00 3.25 3.50 4.50 5.00 5.50 6.50 7.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3212C—12x32° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3414C—14x34° *3416C—16x34° *3416C—16x36° *3616C—16x36°	0.00 1.00 2.50 3.50 4.50 4.50 6.00 7.70 7.73 9.25 0.50 1.75 5.00 6.00 7.70 V
673— 6" Triangle 674— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle #877—Practice Pad 878—Log 879—Cap Scraw 880—Hook #900—17" Kangaroo #901—18" Kangaroo #902—19" Kangaroo #902—19" Kangaroo #903—20" Kangaroo #904—22" Kangaroo #904—22" Kangaroo #904—22" Kangaroo #904—22" White Calf #910—19" White Calf #911—20" White Calf #911—20" White Calf #912—22" White Calf #914—28" Angora #914—38" Angora #915—30" Angora #916—32" Angora #917—34" Angora #918—36" Angora #918—36" Angora #919—38" Angora	1.00 1.23 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.50 2.75 3.00 2.50 3.25 3.75 3.75 3.75 3.75 3.75 3.75 3.75 3.7	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3212C—12x32° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3414C—14x34° *3416C—16x34° *3416C—16x36° *3616C—16x36°	0.00 1.00 2.50 3.50 4.50 4.50 6.00 7.70 7.73 9.25 0.50 1.75 5.00 6.00 7.70 V
673— 6" Triangle 674— 8" Triangle 875—10" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Log 879—Cap Serew 880—Hook *900—17" Kangaroo *901—18" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" White Calf *910—19" White Calf *911—20" White Calf *911—20" White Calf *912—22" White Calf *914—28" Angora *915—30" Angora *916—32" Angora *916—32" Angora *918—36" Angora *918—36" Angora *919—38" Angora *919—38" Angora *920—40" Angora *924—28" White Calf	1.00 1.23 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.75 3.75 3.75 3.75 3.75 3.75 4.50 5.50 6.50 7.50 6.50 7.50 6.00	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x36°  *3416C—16x36° *3616C—16x36°  *3616C—1	0.00 1.00 2.50 4.50 4.50 4.50 6.00 7.00 7.70 1.75 5.00 1.75 5.00 1.75 5.00 0.00 0.00 0.00 0.00 0.00
873— 6" Triangle 874— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Lug 879—Cap Seraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *910—19" White Calf *911—20" White Calf *911—20" White Calf *912—22" White Calf *914—28" Angora *915—30" Angora *916—32" Angora *916—32" Angora *918—36" Angora *919—38" Angora *919—38" Angora *919—38" Angora *924—28" White Calf *925—30" White Calf	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.00 2.75 3.25 3.75 3.50 4.50 4.50 5.50 7.50 6.50 7.50 6.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x36°  IMPROVED THUMBSCREV BAND DRUMS *5615—6x15° *5616—7x15° *5618—10x15° *5618—10x15° *5620—7x16° *5620—7x16° *5621—8x16°	0.00 1.00 2.50 4.50 4.50 4.50 6.00 7.00 7.73 9.25 5.00 6.00 7.00 7.73 9.25 5.00 6.00 0.00 0.00 0.00 0.00 0.00
873— 6" Triangle 874— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Lug 879—Cap Seraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *902—19" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *910—19" White Calf *911—20" White Calf *911—20" White Calf *914—28" Angora *915—30" Angora *916—32" Angora *916—32" Angora *916—32" Angora *918—36" Angora *919—38" Angora *919—38" Angora *919—38" White Calf *924—28" White Calf *925—30" White Calf *925—30" White Calf *925—30" White Calf	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.00 2.75 3.25 3.75 3.50 4.50 4.50 5.50 6.50 7.50 6.50 7.00	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3018C—18x30° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x36°  IMPROVED THUMBSCREV BAND DRUMS *5615—6x15° *5617—8x15° *5618—10x15° *5617—8x15° *5618—10x15° *5619—6x16° *5622—10x16° *5622—10x16°	0.00 1.00 2.50 4.50 4.50 4.50 4.50 6.00 7.00 7.73 9.25 9.25 9.25 9.25 9.25 9.25 9.25 9.25
873— 6" Triangle 874— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Lug 879—Cap Seraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *902—19" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *910—19" White Calf *911—20" White Calf *911—20" White Calf *914—28" Angora *915—30" Angora *916—32" Angora *916—32" Angora *916—32" Angora *918—36" Angora *919—38" Angora *919—38" Angora *919—38" White Calf *924—28" White Calf *925—30" White Calf *925—30" White Calf *925—30" White Calf	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.00 2.75 3.25 3.75 3.50 4.50 4.50 5.50 7.50 6.50 7.50 6.50	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3014C—14x30° *3016C—16x30° *3016C—16x30° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x36°  IMPROVED THUMBSCREV BAND DRUMS *5615—6x15° *5616—7x15° *5618—10x15° *5618—10x15° *5620—7x16° *5620—7x16° *5621—8x16°	0.00 1.00 2.50 4.50 4.50 4.50 4.50 6.00 7.00 7.73 9.25 9.25 9.25 9.25 9.25 9.25 9.25 9.25
873— 6" Triangle 874— 8" Triangle 875—10" Triangle 875—10" Triangle 9876—Double Rattle \$877—Practice Pad 878—Lug 879—Cap Seraw 880—Hook *900—17" Kangaroo *901—18" Kangaroo *901—18" Kangaroo *902—19" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *904—22" Kangaroo *910—19" White Calf *911—20" White Calf *911—20" White Calf *912—22" White Calf *914—28" Angora *915—30" Angora *916—32" Angora *916—32" Angora *918—36" Angora *919—38" Angora *919—38" Angora *919—38" Angora *924—28" White Calf *925—30" White Calf	1.00 1.25 1.35 2.50 1.25 .12 .08 2.00 2.25 2.75 3.00 2.75 3.00 2.75 3.25 3.75 3.50 4.50 4.50 5.50 6.50 7.50 6.50 7.00	*2614C—26x14° *2812C—12x28° *2814C—14x28° *2816C—16x28° *2816C—16x28° *3012C—12x30° *3014C—14x30° *3016C—16x30° *3018C—18x30° *3212C—12x32° *3214C—14x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x32° *3216C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x34° *3416C—16x36°  IMPROVED THUMBSCREV BAND DRUMS *5615—6x15° *5617—8x15° *5618—10x15° *5617—8x15° *5618—10x15° *5619—6x16° *5622—10x16° *5622—10x16°	0.00 1.00 2.50 4.50 4.50 4.50 4.50 6.00 7.00 7.73 9.25 9.25 9.25 9.25 9.25 9.25 9.25 9.25





## DUPLEX PROFESSIONAL OUTFIT



A very high grade Outfit for the Professional drummer, consisting of the highest grade Duplex products. Unexcelled for Theatre or Concert work.

Aside from his work, the drummer is judged by the instruments he uses. It will pay you to invest in a good outfit. You will never regret it. Every article in this set is the highest grade manufactured, so you are assured of the best.

Complete outfit consists of the following:

- 4x14" Artist Model All Metal Drum-(Size of Snare Drum optional.)
- #2814-C Bass Drum, 28x14".
- #70 Superior Pedal, complete with Cymbal Holder and Spura.
- Hamilton Drum Stand.

- 13" Chinese Crash Cymbal.

  Duplex Crash Cymbal Holder.

  Cowbell Outfit, consisting of Two Bells, Woodblock and Holder.

  Chinese Tom Tom and Holder.
- Double Rattle with Crank.
- 12" Duplex Brass Cymbal for Pedal Use. Professional Model Tambourine.
- Pair Duplex Castanets.
- Pair Hickory Sticks.

(No substitutions or omissions.)

#951 Complete Professional Outfit

(For prices refer to list enclosed)

-Page Eighteen-





## "HAMILTON" ADJUSTABLE DRUM STAND



The most practical Drum Stand on the market, and used by the majority of drummers. Most of you are familiar with this stand so it is needless to go into detail.

Adjustable to hold any size snare drum up to 16" in diameter. Folds to 19". Weighs but 35 ounces. Nickel Plated.

#94—Hamilton Drum Stand.

#### BELL STAND

Length when closed, 14½". Weight two and one-half pounds. Height is adjustable from 17½" to 25".

Will hold any weight bells made.

Made of steel and bronze castings.

Nickel Plated.

#95-Bell Stand.



(For prices refer to list enclosed)

-Page Forty-Six-





# "Our Guarantee of Quality"

Beware of Imitations: Every "Duplex" Drum Bears This Trademark—



Reg. U. S. Pat. Office.

"If you follow this mark you can't go wrong."

We hereby guarantee all of our products to be in strict conformity with the Illustrations and Descriptions in this catalog, and to be free from defects in Material and Workmanship. This guarantee applies only to goods of our own manufacture. Every article Produced in our factory bears our stamp.

Every article is carefully inspected before being shipped. All Claims for damage in transit should be filed against carriers as we are not responsible for merchandise after it leaves our factory.

ALL ILLUSTRATIONS IN THIS CATALOG ARE REPRO-DUCTIONS FROM ACTUAL PHOTOGRAPHS—NO EXAGGER-ATION.

# DUPLEX MANUFACTURING COMPANY, Inc.

"Originators of the Separate Tension Drums"

2815 Henrietta St.

St. Louis, Mo.





## DUPLEX "JAZZ DRUMMER'S" OUTFIT



This complete outfit is just the thing for home entertainments, dancing parties and light orchestra work. Very handy for the jobbing drummer, as it is very light in weight and takes up very little room.

Also an ideal outfit for the beginner.

Every article contained in this outfit is first class in every respect and will give long and satisfactory service.

## Complete outfit as follows:

- 1 10x24" Thumbscrew Rod Bass Drum equipped with the New Patented Duplex Rod and Best quality Heads.
- 1 3x14" Thumbscrew Snare Drum, solid wood Shell, Patent Snare Strainer and Muffler, Waterproof Snares and Best quality Heads.
- 1 Superior, Junior Pedal, complete.
- 1 12" Duplex Brass Cymbal.
- 1 12" Chinese Crash Cymbal.
- 1 Crash Cymbal Holder.
- 1 Outfit consisting of Two Cowbells and Woodblock with Holder.
- 1 Snare Drum Stand.
- 1 Pair Hickory Sticks.

(No substitutions or omissions)

#90 Jazz Drummer's Outfit complete.

(For prices refer to list enclosed)

-Page Nineteen-





## DUPLEX KEY ROD BASS DRUMS



An Ideal Bass Drum for Boy Scout or School Drum Corps purposes. Made first-class throughout, and will stand the hard knocks which this class of Drum is usually put to.

Also a good Drum for the beginner, and it don't require much of an

investment.

Shell is of laminated construction, choice of Mahogany or Bird's-eye Maple Finish. Counter Hoops of Hard Maple, natural finish.

Good quality Heads.

Equipped with Key Rods, nickel plated.

Numbe	T .	Size
250		10x24"
250-A		12x24"
251		10x26"
251-A		12x26"
252		12x28"
252-A		14x28"
253		12x30"
253-A	***************************************	14x30"
254	***************************************	12x32"
254-A		14x32"





50

00

50

.05 5.00 7.50

0.00

2.75

5.00

8.00

RA

#### JOS. REITZ "ANGORA" BASS DRUM HEADS

The Bass Drum head of Quality—seldom equaled—never excelled. A trial will convince you. Look for the "Angora" trademark stamped on every head. None genuine without this mark. BEWARE OF INFERIOR IMITATIONS.

```
#914—28" for 24" Bass Drum

#915—30" " 26" " "

#916—32" " 28" " "

#917—34" " 30" " "

#918—36" " 32" " "

#919—38" " 34" " "

#920—40" " 36" " "
```

#### DUPLEX "WHITE CALF" BASS DRUM HEADS

The Duplex White Calf Bass Drum Heads are made of the finest skins obtainable, and are noted for their uniform thickness. Nothing better on the market. Give them a trial and be satisfied.

## **DUPLEX CALF TYMPANI HEADS**

Duplex Calf Tympani Heads are made of fine select stock of absolute even thickness at all points, to insure perfect and even tensioning. Clear as a crystal, and smooth finish.

3ZA- 16x30" ....

50.50

69 Superior. It.





# Useful Information

# INSTRUCTIONS FOR TUCKING DRUM HEADS

Allow three inches for tucking a snare drum head and four inches for bass drum.

Soak in clear water for about five minutes for snare drum and twenty to twenty-five minutes for bass drum and tympani.

Lay head on flat surface, flesh side up, and smooth out with a towel or sponge. Place the flesh hoop on the head, allowing an equal margin all around for tucking.

Begin tucking by lapping head over hoop and tuck well under, being careful to avoid wrinkles or unevenness, and DO NOT STRETCH.

After the head is placed on the flesh hoop it should be put on the shell, but do not put the counter hoops on until the head is almost dry. Then when the head is almost dry you may put the counter hoop on, BEING CAREFUL NOT TO TIGHTEN THE RODS SUFFICIENTLY TO CAUSE THE HEAD TO STRETCH. Just tighten the rods enough to hold the counter hoop in place.

Then after the head is thoroughly dry, which usually requires about twenty-four hours, you may tension it for playing.

Do not, under any circumstances, put any strain on the head until you

are positive that it is thoroughly dry under the counter hoops.

It is not advisable to release tension of heads after using the drum, unless undue strain has been applied on account of extreme changes of temperature and atmosphere.

When ordering heads for snare drums kindly state whether batter or snare head is desired, and when ordering Bass Drum heads state whether they are wanted for Band or Orchestra work.


Owing to their extremely fragile nature, we cannot guarantee heads against breaking or tearing. Examine heads carefully before using, and if unsatisfactory in any way, send them back immediately stating your reason for so doing, and we will replace them or refund your money. WE POSI-TIVELY CANNOT EXCHANGE HEADS AFTER THEY HAVE BEEN WET OR USED.

LUBRICATE the threaded portion of your drum rods every few months -pure vaseline is the best lubricant, as it does not dry up as quick as lubricating oil. This will naturally aid materially in the tensioning of your drum, and helps to reduce binding. Take care of your instruments. Their life depends upon you.





## "AJAHA" GENUINE TURKISH CYMBALS



Ly ajahas

These Cymbals possess that rich, lingering, powerful and brilliant tone that is characteristic of only HIGH GRADE GENUINE TURKISH CYMBALS, and are unapproachable in Quality.

Per Pair—	Single—	
#112-12"	#112-A-12"	
#113-13"	#113-A-13"	
#114-14"	#114-A-14"	
#115—15"	#115-A15"	

At the low prices at which we have quoted these cymbals some of you may become skeptical or doubt the quality.

However, if there is any doubt in your minds as to the tonal qualities, etc., of these cymbals, we will ship them to you, subject to three days free trial upon receipt of a small cash advance, balance C. O. D.

Cymbals cannot be shipped Parcel Post, C. O. D., subject to trial, as Postal Regulations do not allow this privilege.

When ordering please state whether cymbal is wanted for Crash or Pedal work.

## DUPLEX PRESSED BRASS CYMBALS

#117—12"—Per Pair #117-A—12"—Single

(For prices refer to list enclosed)

-Page Thirty-Five-





## DUPLEX THUMBSCREW ORCHESTRA DRUMS



For those who prefer the Thumbscrew, or Single Tension Snare Drums, we offer this beautiful Orchestra Model. The counter hoops are of Walnut finish and match the shell correctly, thereby making a very beautiful and attractive instrument. As is characteristic of all Duplex Drums, this is a very snappy drum, made in many sizes for the large or small Orchestra.

Shells and Counter Hoops are made of Solid Maple, veneered with Walnut.

Equipped with 12 Thumbscrew Rods.

Duplex Patent Snare Strainer and Muffler, mounted on shell.

Choice of Waterproof or Silk Wire wound Snares.

Celebrated "Jos. Reitz" Kangaroo heads.

Num	ber	Size
60		3x14"
61	***************************************	4x14"
62		5x14"
63		3x15"
64		4x15"
65		5x15"
66		6x15"

NOTE: Waterproof snares are always furnished, unless otherwise specified.





## DUPLEX "PARLOR" SNARE DRUM



For the benefit of the drummer who is playing in a small orchestra, or for the student who is just starting out, we have designed this neat little Thumbscrew, Single Tension, Orchestra Drum.

Also a nice little drum for home entertainments and dance parties.

Absolutely possesses real drum tone and quality, and only the best materials are used in its construction.

Description as follows:

Shell is made of solid Maple, choice of Walnut, Mahogany or Bird's-Eye Maple Finish.

Counter Hoops of hard maple, natural finish.


Eight Thumbscrew Rods, nickel plated.

Patent Snare Strainer and Muffler.

Good quality Heads.

Waterproof Snares.

Num	ber	Size
516	***************************************	3x14"
517		4x14"
518		3x15"
519		4x15"



# General Information

The Duplex Manufacturing Company Is the Home of the Separate Tension Drum.

Forty years ago Emil Boulanger first introduced the DUPLEX DRUMS, or Separate Tension System of adjusting the Batter and Snare heads independently, and today drums bearing the name of DUPLEX are known in nearly every country on the Globe.

The high standard of quality maintained from the start gave to DUPLEX drums an unequalled reputation for tone and reliability, proved by practical test of constant service in the hands of professional drummers who know the value of dependability.

Duplex Drums have always been made for use, and the secret of their tone is the experience of almost a half a century of manufacture, superiority of workmanship, finish and the most critical tests.

The perfection attained by the product of The Duplex Manufacturing Company has resulted in Duplex being the choice of many professional drummers.

Owing to our world-wide reputation, we feel that our products as shown in this catalog need no further introduction.

Respectfully yours,

DUPLEX MANUFACTURING COMPANY, Inc.

SAINT LOUIS, MISSOURI

2815-2817 Henrietta Street






## LEEDY "UNIVERSAL" TYMPANI

## Study these points

## Every drummer should know them



HEIGHT ADJUSTMENT NUT STAND LOCK SCREW
For standing or sitting positions Always tight, with supports spaced correctly.

#### PARAMOUNT FEATURES

Requires less than five minutes to assemble them ready for use.

Only two adjustments required to set them up.

Can be tilted to any angle and adjusted to any height from sitting to

standing position.

Not necessary to sit on a high stool. An ordinary chair can be used with the same degree of comfort as when playing the common type of Tympani.

Can be packed in ordinary Tympani Trunks.

Each instrument has a pedal range of one full octave, which is rarely ever acquired, and can be tuned from one extreme to the other in a fraction of a second.

The Pedal action is so light and responsive that little effort is necessary in tuning. They do not occupy any more space than ordinary tympani and are just as convenient to handle.

The small drum weighs fifty pounds and the large one fifty-six. (Com-

pare this fact with any other Machine Tympani.)

The tuning gauge, which automatically indicates the tone, will be greatly appreciated by the experienced Tympanist and is indispensable to the beginner.





## DUPLEX "PARLOR" BASS DRUM



A very neat little Bass Drum suitable for home entertainments and light orchestra work.

It is light in weight, easy to carry, takes up very little space, and is well made throughout.

Also an ideal Bass Drum for the beginner.

Your particular attention is called to the fact that it is equipped with the New Patent Duplex Thumbscrew Rod, which is an asset worth your consideration.

The Shell is of laminated construction. Choice of Mahogany or Bird'seye Maple Finish.

Counter Hoops are made of hard Maple, natural finish.

Equipped with eight Patent Thumbscrew Rods.

Best quality Heads.

Number		Size
514		8x24"
515		10x24"
520		10x26"







## DUPLEX "SUPERIOR, JUNIOR" PEDAL

(Pat. Feb. 6, 1912.)



This little Pedal is built along the same lines as our #70 Superior Pedal as illustrated and described on the preceding page.

It is a very practical pedal that can be used for Professional as well as Amateur work.

The pedal is made almost entirely of strip steel which makes it very strong and durable. Nicely nickel plated and a classy little pedal throughout. Has a solid felt beater ball and produces a tone equal to any pedal on the market.

As is characteristic of the Superior Pedal, it has a very long stroke. By pressing down the footpiece one inch the beater ball is moved seven inches, so it can be readily seen the easy and quick action of this article.

By removing the beater rod, the whole Pedal can be folded up to fit in the ordinary coat pocket. THIS IS AN EXCLUSIVE DUPLEX FEATURE.

The Pedal complete, with Cymbal Holder and Spurs, weighs but 33 ounces, ready for shipping.

Fastens on the hoop with Patent "Holdfast" clamp. Positively will not jar loose or mutilate the hoop. We guarantee this feature.

#69—Superior Junior Pedal, complete with Cymbal Holder and Spurs.





# DUPLEX "ART" BASS DRUMS

(Illustrated in actual colors on page one)

The Duplex ART BASS DRUM, as illustrated on the frontispiece of this catalog, is recognized as having no equal. Its neatness of design, and general beautiful appearance has made it the choice of many popular orchestras.

Boys, here's the drum that will make the boss put you in the front row.

Very often the drummer in a Dance or Stage Orchestra occupies a very prominent position on the stage or platform, and naturally his outfit should harmonize with the balance of the beautiful instruments and surroundings.

With this in mind we have created this ART BASS DRUM, which, without a question, will give your Orchestra some real publicity.

Made in the following combinations:

- #650—28x14"—Separate Tension, White Enameled Shell with Black Hoops, Bronze Gold Plated Trimmings.
- #651-28x14"-Separate Tension, Black Enameled Shell with Black Hoops, Bronze Gold Plated Trimmings.
- #652—28x14"—Separate Tension, White Enameled Shell with Black Hoops, Real Gold Plated Trimmings.
- #653—28x14"—Separate Tension, Black Enameled Shell with Black Hoops, Real Gold Plated Trimmings.
- #654—28x14"—Single Tension, White Enameled Shell with Black Hoops, Bronze Gold Plated Trimmings.
- #655—28x14"—Single Tension, Black Enameled Shell with Black Hoops, Bronze Gold Plated Trimmings.
- #656-28x14"-Single Tension, White Enameled Shell with Black Hoops, Real Gold Plated Trimmings.
- #657—28x14"—Single Tension, Black Enameled Shell with Black Hoops, Real Gold Plated Trimmings.

## "Oil Painted Scene on Bass Drum Head"

This beautiful oil painted scene as illustrated in colors on page one, is beyond description and must be seen to be appreciated. It is hand work, and to make a long story short, is beautiful enough to be framed. Contains practically every color of the rainbow.

#658—Additional for Painted Scene up to 30" Bass Drum.

#659—Additional for Painted Scene larger than 30" Bass Drum.

## Blinker Lighting System

Most of you know of the Blinker Lighting System, therefore it is unnecessary to go into details. It is used for effect work and adds a touch of dash to the painted scene. Consists of one red light and one green light, which are thrown off and on automatically, and alternate so that only one light is burning at a time.

#660—Additional for Blinker Lighting System.





## DUPLEX KEY ROD SNARE DRUMS



An ideal drum for the beginner. Does not require much of an investment, but is first class throughout. This is a very strong and durable built drum, and will stand hard knocks. It is not a toy drum.

This model is especially suitable for School Drum Corps and Boy Scout work. We have supplied many Boys' Organizations with this drum, and they are giving the best of satisfaction. Used by every School Drum Corps in St. Louis, with fine results.

The Shell is made of Spring Brass.

Hard Maple Counter Hoops, stained to imitate Rosewood.

Steel Rods, key pattern.

Good quality Heads.

Waterproof Snares, long pattern Snare Strainer.

ALL METAL PARTS NICKEL PLATED.

## Orchestra Model

No.	80	**************	Size	3x	4"
No.	81		Size	3x	15"

#### Band or Drum Corps Model

No.	82	Size	4x15"
No.	82-A	Size	6x15"
No.	83	Size	4x16"
No.	83-A	Size	6x16"

#### **Boy Scout Model**


No.		Size	4x12"
No.	77	Size	4x14"
No	77.A	Sina	6-140

NOTE: Waterproof snares are always furnished, unless otherwise specified.





## DUPLEX ORCHESTRA BELLS



Duplex Orchestra Bells were designed to meet the demand for a bell which is perfect from a musical standpoint, at a moderate cost.

Their tone is clear and brilliant; every bar is highly polished, nickel plated, and mounted in a hardwood case in a manner that insures perfectly uniform tone quality throughout the entire register.

Bars 11/8"x1/4".

#1811-21/2 Octaves, G to C Chromatic, 30 Bars.

Two pairs Mallets, Extra Bar for changing from low to high pitch, and Detachable Music Rack included with each set of bells.

Tuned to Low Pitch A-440.

Course of Instructions for playing FREE with each purchase.

(For prices refer to list enclosed)

-Page Twenty-Nine-





## DEAGAN "LITE-WATE" XYLOPHONE



To provide the lightest practical Xylophone with resonators possible to build was the aim in designing the Deagan Lite-Wate.

While the volume of tone is not quite so great as that of the Deagan Drummer's Special, this new Xylophone will, however, prove a positive revelation in this respect. It weighs but twenty-five pounds, yet it is a real musical instrument in every sense of the word.

It is intended particularly for the drummer who does not specialize on Xylophone exclusively, yet who wants, at a moderate price, an instrument which produces that desirable quality of tone obtainable only from a Deagan Xylophone with resonators.

The Deagan Lite-Wate Xylophone is supplied in one size only, three Octaves Chromatic C to C. It is equipped with the latest style Deagan folding floor rack which is so constructed that it is entirely free from sympathetic vibration.

The Xylophone measures 25" high over all, the proper height for playing in sitting position, but at small additional cost we can supply extension legs which will increase the height sufficiently for playing in standing position.

Bars are of standard quality Nagaed, thoroughly seasoned, and the instrument is finished throughout in the best possible manner.

#834-3 Octaves, C to C Chromatic, 37 bars.
Bars 11/4"x1/4".

Two pairs of mallets included with each Deagan Lite-Wate Xylophone.

Course of Instruction for playing FREE to purchaser.

All Deagan Instruments tuned to Universal Low Pitch A-440.

#639-Case for #834 Lite-Wate Xylophone.

(For prices refer to list enclosed)


-Page Twenty-Seven-





#### LEEDY-DUPLEX "UTILITY" TYMPANI

The Drummer's Opportunity



Every drummer desires to own a set of excellent Tympani, and many would have purchased them long ago had they been able to secure such fine instruments as these at this record-breaking reasonable price.

There is no doubt but what Tympani places the drummer in a position to com-

mand more salary and to enjoy greater demand for their services.

Knowing that the price question has prevented many ambitious players from equipping themselves, we studied the problem thoroughly and have overcome the objection in every respect. The Utility Tympani is the result and we invite comparison point by point.

#### POINTS OF EFFICIENCY

#### KETTLES

Absolutely round and very strong. One-piece first quality copper bowl. Cannot buckle on account of the method of heavy reinforcing.

#### COUNTER HOOPS

Built low and are of the proper fit to the bowl to allow proper clearance for even tension of the head.

#### FLESH HOOPS

Non-rusting. We guarantee that these hoops will not bind. They stand 3/16" clear of the kettle at all points assuring ease of tuning.

#### HEADS

The famous Kaffette Brand and the choice of the world's greatest artists—clear, flexible and resonate.

#### STANDS

Adjustable to height by simply turning a thumb screw. Folds into small space and are light, strong and rigid.

#### FINISH

Satin copper that is very beautiful and will not tarnish. Bowls can also be finished in Black or White Enamel at small additional cost.

#### TUNING SYSTEM

The tensioning mechanism of this model instrument is no less efficient than on the higher priced tympani. It is self-aligning in every respect; threads cannot bind and the brackets cannot pull out of place or buckle into the side of the kettle. The tension handle and collar hook swing away from the hoops, and the head can be removed in thirty seconds without any of the parts being dismembered.

#572-Sizes 25x16" and 27x18"

#573-Sizes 25x16" and 28x18"

(For prices refer to list enclosed)

-Page Twenty-Three-





# DUPLEX SNARE DRUM STICKS



Band Models

#735-1-B #736-2-B #737-5-B

Orchestra Modela

#731-1-A #732—2-A #733—3-A #734-5-A


Street Models

#738-1-S #739-2-8

#### BASS DRUM STICKS



TYMPANI STICKS



#540 —Bass Drum Stick—Double End—Ball of Genuine Lamb's Wool. #540-A—Bass Drum Stick—Single End—Ball of Genuine Lamb's Wool. #541 —Bass Drum Stick—Double End—Hard Felt Ball. #542 —Bass Drum Stick—Single End—Hard Felt Ball. #544—Tympani Sticks—Symphony Model—Balls can be easily removed for re-

placing, per pair. #543—Tympani Sticks—Advance Model—Per pair. #545—Tympani Sticks—Advance Model—Per pair.

#546-Tympani Sticks-Jazz Model with small felt ball-Per pair.

## DUPLEX BELL HAMMERS

#10—Brass, per pair. #11—Hard Vulcanized Rubber, per pair.

(For prices refer to list enclosed)

-Page Forty-Seven-





## DEAGAN NAGAED MARIMBA



(Total length of instrument, 48 inches. Height 35 inches.)

This sterling product of the Deagan Factory is one of our very finest instruments.

It has a depth and richness of tone that is impossible to describe and must be heard to be appreciated.

"Marimba Waltzes" when played for dancing create an instant sensation, building up work for the dance orchestra that can furnish them. They are easily playable by anyone who understands the use of Orchestra Bells or is familiar with the keyboard of a piano. The lower tones of the instrument are ideal for that "dreamy first strain" effect so often encountered in waltzes, while the upper register is perfectly suited for the brighter movement usually found in the succeeding strains.

The Deagan Marimba is made of selected Nagaed Bars (which have been seasoned for five years) mounted on special wear-resisting cord suspended by nickeled posts between the bars. Tuneable resonators of Deagan patent construction, permitting of easy tuning to meet extreme climatic conditions, are a part of the equipment. Frames are of quarter-sawed oak, hand rubbed, and are mounted on the famous Deagan Floor Rack. Bars vary in width from one and five-eighths to two inches.

#350-3 Octaves, F to F Chromatic, 37 bars. #352-3½ Octaves, F to C Chromatic, 44 bars. #354-4 Octaves, C to C Chromatic, 49 bars.

Four pairs mallets included with each of the above instruments.

Course of Instruction for playing free to each purchaser.

All Deagan Instruments are tuned to Universal Low Pitch A-440.

Prices on Trunks quoted on application.





# JOS. REITZ "KANGAROO" SNARE DRUM HEADS



The Celebrated Jos. Reitz "Kangaroo" heads have been used by the leading drummers for over twenty-five years—men who are very particular and choicy, DEMAND THE KANGAROO HEADS. Insist upon seeing the Trademark illustrated below, which is plainly stamped on each head.

Clear as a crystal and of even thickness. If you are not familiar with them, a trial will convince you.

#900-17"	for	14"	Drun
#901-18"	44	15"	**
#902-19"	++	16"	**
#903-20"	++	17"	**
#904-22"	24	18"	**

# JOS. REITZ "SOUTH AFRICAN KID" HEAD

An Angora head of exceptional qualities and merits, AT A MODERATE PRICE. Equal in quality to the ordinary calf head. Transparent and of even thickness. Don't picture this head as "shoe-leather" stock. They are all weights, suitable for any kind of work.

Hundreds of drummers are using them and are very well satisfied. Have been on the market for twenty-five years.

A trial will add you to our list of satisfied customers.



# DUPLEX "WHITE CALF" HEADS

The finest grade of White Calf head obtainable. These heads are all taken from that portion of the skin that insures uniform thickness, and are HAND SHAVED.

#908—17" for 14" Drum #909—18" " 15" " #910—19" " 16" " #911—20" " 17" "

WHEN ORDERING BE SURE TO STATE WHETHER FOR BATTER OR SNARE SIDE. Also advise thickness desired, light, medium or heavy.

# DUPLEX

DRUMS ACCESSORIES

M

DUPLEX MFG.CO. ST. LOUIS, MO.





## "DUPLEX" COWBELL, WOODBLOCK AND TOM TOM HOLDER


(Pat. Feb. 20th, 1920.)

This is the most practical, compact and lightest device of its kind on the market today.

Very simple in construction. Can be taken apart and assembled in less than a minute. Just hook the attachments on, and there they are to stay. No screws to tighten. The loops which are attached to the cowbells, etc., fit firmly on to the holder.

Fastened on the counter hoop with Duplex patented "Holdfast" clamp which will not mar the hoops or jar loose. We guarantee it.

Combinations as follows:



#720-Four tuned Cowbells, Woodblock and Holder.

#721-Four tuned Cowbells and Holder.



#722—Two tuned Cowbells, Chinese Tom Tom, Woodblock and Holder.

#723—Two tuned Cowbells, Woodblock and Holder.

#724-Two tuned Cowbells and Holder.


Why not be the user of America's most popular device for Jazz Drumming?

### Catalog No. Price  #### Catalog No. Price  ###################################		APT DAGS DOUBLE
2371   Gardner No. 3.   2.00   630   28x 4"   55.00   2372   Gardner No. 4.   5.00   651   28x 4"   57.00   2373   Bower No. 1.   1.50   652   28x 4"   57.00   2373   Bower No. 2.   1.50   653   28x 4"   57.00   2373   Bower No. 3.   1.50   653   28x 4"   57.00   2375   Bower No. 3.   3.50   656   28x 4"   62.50   2375   Bower No. 4.   3.50   656   28x 4"   62.50   656   28x 4"   62.50   657   28x 4"   62.50   658   62x 4   62.50   657   28x 4"   62.50   658   62x 4   62.50   62x 4	\$369-Gardner No. 1 2.00	ART BASS DRUMS
3372	9210	Continues, 1 to 1
2373	4371 October 1	650—28x14*
\$373 - Bower No.   1.50	And the second s	0.21 20211
2373—Bower No. 2	2373—Bower No. 1 1.50	
ARTIST MODEL ALL METAL DRUM	\$374—Bower No. 2 1.50	654—28x14" 42.50
### ARTIST MODEL ALL METAL DRUM  Catalog No.	2375—Bower No. 3 1.50	1000
ARTIST MODEL ALL METAL   DRUM		220
Catalog No.	ANT BARRIOTS	857—20x14
DRUMS   DRUM   Catalog No.   Price   *410 - 4x14"   332.50   *410L - 5x14"   32.50   *410L - 6x14"   32.50   *511 - 4x15"   32.50   *511 - 4x15"   32.50   *511 - 6x15"   32.50   *511L - 6x15"   32.50   *721 - Coxbell Ourfit   5.50   *511L - 6x15"   32.50   *721 - Coxbell Ourfit   5.50   *721 - Coxbell Ourfit   4.80   *724 - Coxbell Ourfit   4.80   *725 - Smars Strainer and Muff. 2.00   *725 - Smar	ARTIST MODEL ALL METAL	AL ADT HASS
Scene and Lighting System.	DRUM	
*410 4x14* 332.50 *410B—5x14* 32.50 *410C—61/2x14* 32.50 *410C—61/2x14* 32.50 *511 4x15* 32.50 *511 4x15* 32.50 *511 4x15* 32.50 *511 4x15* 32.50 *511 -4x15* 32.50 *511C—61/2x15* 32.50 *511C—61/2x15* 32.50 *511E—8x15* 32.50 *720 —Cnwbell Ourfit 5.50 *721 —Coxbell Ourfit 7.80 *724 —Cuwbell Ourfit 7.80 *725 —Coxbell Ourfit 7.80 *725 —Snave Strainer and Muff. 2.00 *725 — Snave Strainer and Muff. 2.00 *727 — Snave Strainer and Muff. 2.00 *728 — Heater for S. D. 5.00 *738 — Sticks, pair. 40 *734 — Sticks, pair. 40 *734 — Sticks, pair. 40 *735 — B. Sticks, pair. 40 *737 — Sticks, pair. 40 *738 — Sticks, pair. 40 *739 — Sticks, pair. 40 *740 — For 8.24* B. D. 5.00 *740 — For 8.24* B. D. 5.00 *740 — For 12x24* B	Catalog No. Price	
*410A—5x14* 32.50 *410B—7x14* 32.50 *410B—7x14* 32.50 *410D—7x14* 32.50 *410D—7x14* 32.50 *410D—7x14* 32.50 *410B—7x14* 32.50 *511A—5x15* 32.50 *511A—5x15* 32.50 *511B—8x15* 32.50 *511C—61/5x15* 32.50 *511C—61/5x15* 32.50 *511E—8x15* 32.50 *511E—8x15* 32.50 *511E—8x15* 32.50 *511E—8x15* 32.50 *721 — Corebell Outfit 5.50 *722 — Corebell Outfit 7.80 *723 — Cowbell Outfit 4.60 *724 — Cowbell Outfit 4.60 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Cowbell Outfit 4.60 *725 — Snare Strainer and Muff. 2.00 *724 — Heater for S. D. 5.00 *725 — Heater for Tymp, pr. 10.00 *726 — Heater for Tymp, pr. 10.00 *727 — Heater for Tymp, pr. 10.00 *728 — Sticks, pair. 40 *729 — Sticks, pair. 40 *731 — 14 Sticks, pair. 40 *732 — 24 Sticks, pair. 40 *733 — 18 Sticks, pair. 40 *733 — 18 Sticks, pair. 40 *734 — 54 Sticks, pair. 40 *735 — Tymp, Trunks, each 55.00 *740 — B. D. Stick, each 2.00 *740 — B. D. Stick, each 2.00 *741 — B. D. Stick, each 2.00 *742 — For 12x24* B. D. 5.50 *744 — Tymp, Sticks, pair. 2.00 *744 — Tymp, Sticks, pair. 2.00 *745 — For 12x24* B. D. 5.50 *746 — Tymp, Sticks, pair. 2.00 *747 — For 12x24* B. D. 5.50 *749 — For 12x24* B. D. 6.60 *749 — For 12x24* B. D. 6.60 *740 — Tymp, Sticks, pair. 2.00 *740 — For 12x24* B. D. 6.60 *740 — Tymp, Sticks, pair. 2.00 *741 — For 12x24* B. D. 6.60 *742 — For 12x24* B. D. 6.60 *743 — For 12x24* B. D. 7.00 *749 — For 12x24* B. D. 7.00 *740 — For 12x24* B. D. 7.00 *740 — For 12x24* B. D. 7.00 *741 — For 12x24* B. D. 7.00 *742 — For 12x24* B. D. 7.00 *743 — For 12x24* B. D. 7.00 *744 — For 12x28* B. D. 6.60 *745 —	The special contract of the sp	Scene and Lighting System.
*410B—6x14* 32.50 *410D—7x14* 32.50 *410D—7x14* 32.50 *410D—7x14* 32.50 *5111—4x15* 32.50 *5111—4x15* 32.50 *5111B—6x15* 32.50 *5111B—6x15* 32.50 *5111D—7x15* 32.50 *5111D—7x15* 32.50 *5111D—7x15* 32.50 *5111D—7x15* 32.50 *5111D—7x15* 32.50 *5111D—8x15* 32.50 *5111D—8x15* 32.50 *5111D—8x15* 32.50 *721 — Corbell Outfit 5.50 *721 — Corbell Outfit 4.60 *724 — Corbell Outfit 4.60 *725 — Soner Strainer and Muff. 2.00 *520—10x26* 25.50 *731 — 1A Stick, pair. 40 *733 — 3A Stick, pair. 40 *733 — 3A Stick, pair. 40 *733 — 3A Stick, pair. 40 *734 — 5A Stick, pair. 40 *735 — Tymp. Stick, each. 3.00 *740 — For 6x24* B. D. 5.00 *540 — B. D. Stick, each. 2.50 *740 — For 6x24* B. D. 5.50 *541 — B. D. Stick, each. 2.50 *742 — For 10x24* B. D. 5.50 *744 — For 10x24* B. D. 5.50 *745 — Tymp. Sticks, pair. 2.00 *746 — For 10x24* B. D. 5.50 *740 — For 6x24* B. D. 5.50 *740 — For 6x24* B. D. 5.50 *741 — For 10x24* B. D. 5.50 *742 — For 10x24* B. D. 5.50 *744 — For 10x24* B. D. 5.50 *745 — Tymp. Sticks, pair. 2.00 *746 — For 10x24* B. D. 5.50 *747 — For 10x24* B. D. 5.50 *748 — For 12x24* B. D. 5.50 *749 — For 12x24* B. D. 5.50 *740 — For 12x24* B. D. 5.50 *740 — For 12x24* B. D. 5.50 *740 — For 10x24* B. D. 5.50 *740 — For 12x24* B. D. 5.50 *741 — For 10x24* B. D. 5.50 *742 — For 12x24* B. D. 5.50 *743 — For 12x24* B. D. 6.60 *745 — Tymp. Sticks, pair. 2.00 *747 — For 12x24* B. D. 5.50 *749 — For 12x24* B. D. 6.60 *749 — For 12x24* B. D. 6.60 *749 — For 12x24* B. D. 6.60 *740 — For 12x24* B. D. 6.60 *741 — For 12x24* B. D. 6.60 *742 — For 12x24* B. D. 6.60 *743 — For 12x24* B. D. 6.60 *744 — Tymp. Sticks, pair. 1.75 *745 — For 12x24* B. D. 6.60 *747 — For 12x24* B. D. 6.60 *749 — For 12x24* B. D. 6.60 *749 — For 12x24* B. D. 6.60 *749 — For 12x24* B. D. 6.60 *740 — For 12x2	*410A-5x14" 32.50	THE RESERVE AND ADDRESS OF THE PERSON OF THE
**10D—7x14" 32.50 **511 A=5x15" 32.50 **511 A=5x15" 32.50 **511 B=6x15" 32.50 **722	*410B—6x14* 32.50	
**************************************		Bass Drums to cover Government Tax.
*511 A—5x15* 32.50 *511 B—6x15* 32.50 *511 D—7x15* 32.50 *512 Covbell Outfit 5.50 *513 Covbell Outfit 4.60 *514 D—8x24* 4.60 *514 D—8x24* 4.60 *515 D—10x24* 4.60 *515 D—10x24* 4.60 *516 D—10x26* 25.50 *520 D—10x26* 25.50 *531 D—10x26* 25.50 *532 D—10x26* 25.50 *533 D—10x26* 25.50 *534 D—10x26* 25.50 *535 D—10x26* 25.50 *536 D—10x26* 25.50 *537 D—10x26* 25.50 *538 D—10x26* 25.50 *538 D—10x26* 25.50 *539 D—10x26* 25.50 *540 D—10x26* 25.		658 OJ Painted Scenn \$15.00
*511C—61/5x15" 32.50 *511D—7x15" 32.50 *511D—7x15" 32.50 *511D—7x15" 32.50 *511D—8x15" 32.50 *721 — Cowbell Outfit 5.50 *7213 — Cowbell Outfit 4.60 *7224 — Cowbell Outfit 4.60 *7225 — Some Strainer and Muff. 2.00 *7226 — Some Strainer and Muff. 2.00 *7226 — Some Strainer and Muff. 2.00 *7226 — Some Strainer and Muff. 2.00 *7227 — Cowbell Outfit 4.60 *7225 — Some Strainer and Muff. 2.00 *7226 — Heater for S. D. 5.00 *7236 — Heater for S. D. 5.00 *7240 — Some Strainer and Muff. 2.00 *7250 — Some Strainer and Muff. 2.00 *7260 — Heater for S. D. 5.00 *7270 — Heater for Tymp. pr. 10.00 *7280 — Heater for Tymp. pr. 10.00 *7290 — Stick. pair 4.00 *7290 — Stick. pair 4.00 *7291 — A Stick. pair 4.00 *7292 — Stick. pair 4.00 *7293 — Stick. pair 4.00 *7294 — Stick. pair 4.00 *7295 — Tymp. Trunks, each 55.00 *7296 — B. D. Stick, each 2.50 *740 — For 8x24" B. D. 5.00 *740 — For 8x24" B. D. 5.00 *740 — For 1xx24" B. D. 5.00 *740 — For 1xx24" B. D. 5.50 *740 — For 1xx24" B. D. 5.50 *740 — For 1xx24" B. D. 5.50 *741 — For 1xx24" B. D. 5.50 *742 — R. D. Stick, each 1.73 *743 — For 1xx24" B. D. 5.50 *744 — Tymp. Sticks, pair 2.00 *745 — For 1xx24" B. D. 5.50 *746 — Tymp. Sticks, pair 2.23 *746 — For 1xx24" B. D. 5.50 *747 — For 1xx24" B. D. 5.50 *748 — For 1xx24" B. D. 6.60 *749 — For 6x28" B. D. 6.60 *740 — For 8x28" B. D. 6.60 *740 — For 1xx28" B. D. 6.60 *740 — For 6x28" B. D. 7.00 *740 — For 6x28" B. D. 7.00 *741 — For 1xx28" B. D. 7.00 *742 — For 1xx28" B. D. 7.00 *743 — Cowbell Outfit 4.60 *725 — For 1xx30" B. D. 7.00 *745 — For 1xx30" B. D. 7.00 *747 — For 1xx30" B. D. 7.00 *748 — For 1xx30" B. D. 7.00 *749 — For 6x30" B. D. 7.00 *740 — For 6x30" B. D. 7.00 *740 — For 6	*5114 Se15* 32.50	659 -O.I Painted Scene 17.50
*511C—61/x15" 32.50	Y5118-6x15" 32.50	660 —Blinker Lighting System 12.00
*511D—7x15" 32.50 *721 Cowbell Ourfit 5.50	*511C-61/5x15" 32.50	¥320 Comball Charles 630
#511E—8x15"	*511D-7x15"	
### Additional for Ivary Finish Shell. 9.00    PARLOR BASS DRUM	*511E-8x15" 32.50	CONTRACTOR OF THE CONTRACTOR O
PARLOR BASS DRUM	Additional for Ivery Finish Shell 5.00	*723 Cowbell Outfit 4.60
PARLOR BASS DRUM		
Catalog No.	DANGOD DACC DOUBLE	
#514— 0x24"	AND THE RESERVE AND THE PARTY OF THE PARTY O	
*515—10x24* 22.00		4120
*520—10x26"	ALL AND THE PROPERTY OF THE PR	The second secon
PARLOR SNARE DRUM		
PARLOR SNARE DRUM  Catalog No.  Prica  *734 — 5A Sticks, pair40  *735 — 1B Sticks, pair40  *736 — 2B Sticks, pair40  *516 — 3x14"	*520—10x26" 45:50	The state of the s
Catalog No. Price	MARK THE RESIDENCE OF THE PARTY	*733 -3A Sticks, pair
Trick	PARLOR SNARE DRUM	*734 -5A Sticks, pair
*516 — 3x14"	Catalog No. Price	
*517 — 4x14"	Control of the Contro	
*518 —3x15" 14.00 *739 —23 Sticks, pair		
*519 —4x15" 14.00  535 — Tymp. Trunks, each. 55.00  540 — B. D. Stick, each. 3.00  540A—B. D. Stick, each. 2.50  541 — B. D. Stick, each. 2.00  542 — B. D. Stick, each. 1.75  543 — Tymp. Sticks, pair. 2.00  544 — Tymp. Sticks, pair. 2.00  545 — Tymp. Sticks, pair. 2.00  546 — Tymp. Sticks, pair. 2.00  547 — Tymp. Sticks, pair. 2.00  548 — Tymp. Sticks, pair. 2.00  549 — Tymp. Sticks, pair. 2.00  540 — Tymp. Sticks, pair. 2.00  541 — Tymp. Sticks, pair. 2.00  542 — Tymp. Sticks, pair. 2.00  543 — Tymp. Sticks, pair. 2.00  544 — Tymp. Sticks, pair. 2.00  545 — Tymp. Sticks, pair. 1.75  546 — Tymp. Sticks, pair. 1.75  548 — Tymp. Sticks, pair. 1.75  549 — For 14x28" B. D. 6.50  540 — Tymp. Sticks, pair. 1.75  541 — Tymp. Sticks, pair. 1.75  542 — Tymp. Sticks, pair. 1.75  543 — Tymp. Sticks, pair. 2.00  544 — Tymp. Sticks, pair. 2.00  545 — Tymp. Sticks, pair. 1.75  546 — Tymp. Sticks, pair. 1.75  547 — Tymp. Sticks, pair. 1.75  548 — Tymp. Sticks, pair. 1.75  549 — Tymp. Sticks, pair. 1.75  540 — Tymp. Sticks, pair. 1.75  540 — Tymp. Sticks, pair. 1.75  541 — Tymp. Sticks, pair. 1.75  542 — Tymp. Sticks, pair. 1.75  543 — Tymp. Sticks, pair. 1.75  544 — Tymp. Sticks, pair. 1.75  545 — Tymp. Sticks, pair. 1.75  546 — Tymp. Sticks, pair. 1.75  547 — Tymp. Sticks, pair. 1.75  548 — Tymp. Sticks, pair. 1.75  549 — Tymp. Sticks, pair. 1.75  540 — Tymp. Sticks	AND THE RESERVE OF THE PARTY OF	
535 —Tymp. Trunks, each	The state of the s	1000
540 —B. D. Stick, each		MACKINTOSH COVERS
540A—B. D. Stick, each	The second of th	Catalog No. Price
541 —B. D. Stick, each		
542 — B. D. Stick, each 1.75 743 — For 14x24" B. D. 5.50 543 — Tymp. Sticks, pair 2.00 744 — For 10x26" B. D. 6.00 544 — Tymp. Sticks, pair 2.25 746 — For 12x26" B. D. 6.00 545 — Tymp. Sticks, pair 2.00 747 — For 12x28" B. D. 6.50 546 — Tymp. Sticks, pair 1.75 748 — For 14x28" B. D. 6.50 580 — Frisco Whietle 2.00 750 — For 16x28" B. D. 7.00 639 — Xylo. Case 13.25 751 — For 12x30" B. D. 7.00 2570 — Universal Tympani, pair 300.00 752 — For 14x30" B. D. 7.00 1571 — Addtl for Tuning Gauges 20.00 754 — For 16x30" B. D. 7.00 1572 — Utility Tympani, pair 125.00 755 — For 16x30" B. D. 7.00		741—For 10x24" B. D 5.00
543 —Tymp. Sticks, pair. 2.00 744—For 10x26* B. D. 6.00 544 —Tymp. Sticks, pair. 2.25 746—For 12x26* B. D. 6.00 545 —Tymp. Sticks, pair. 2.00 747—For 12x28* B. D. 6.50 546 —Tymp. Sticks, pair. 1.75 748—For 14x28* B. D. 6.50 580 —Frisco Whietle 2.00 749—For 6x28* B. D. 7.00 639 —Xylo. Case 13.25 751—For 12x30* B. D. 7.00 2570 —Universal Tympani, pair300.00 752—For 14x30* B. D. 7.00 1571 —Addtl for Tuning Gauges 20.00 753—For 16x30* B. D. 7.00 7.00 7.00 7.00 7.00 7.00 7.00		74Z—For 12x24 B. D
544 — Tymp. Sticks, pair. 2.25 746—For 14x26° B. D. 6.00 545 — Tymp. Sticks, pair. 2.00 747—For 12x28° B. D. 6.50 546 — Tymp. Sticks, pair. 1.75 748—For 14x28° B. D. 6.50 580 — Frisco Whietle 2.00 749—For 16x28° B. D. 7.00 639 — Xylo. Case 13.25 751—For 12x30° B. D. 7.00 2570 — Universal Tympani, pair300.00 752—For 14x30° B. D. 7.00 \$\$\frac{1571}{1571}\$ — Addtl for Tuning Gauges 20.00 754—For 18x30° B. D. 7.00 \$\$\frac{1572}{1572}\$ — Utility Tympani, pair		744 For 10=26* B D 640
544 — Tymp. Sticks, pair. 2.25 545 — Tymp. Sticks, pair. 2.00 546 — Tymp. Sticks, pair. 1.75 580 — Frisco Whietle 2.00 639 — Xylo. Case 13.25 2570 — Universal Tympani, pair. 300.00 752 — For 18x28 B. D. 7.00 750 — For 18x28 B. D. 7.00 750 — For 18x28 B. D. 7.00 750 — For 18x28 B. D. 7.00 751 — For 12x30 B. D. 7.00 752 — For 14x30 B. D. 7.00 753 — For 18x30 B. D. 7.00 754 — For 18x30 B. D. 7.00 755 — Tympani, pair. 125.00	543 —Tymp. Sticks, pair 2.00	745—For 12x26° B. D. 6.00
545 — Tymp. Sticks, pair. 2.00 747—For 12x28* B. D. 6.50 546 — Tymp. Sticks, pair. 1.75 748—For 14x28* B. D. 6.50 580 — Frisco Whietle 2.00 750—For 16x28* B. D. 7.00 639 — Xylo. Casn 13.25 751—For 12x30* B. D. 7.00 2570 — Universal Tympani, pair. 300.00 752—For 14x30* B. D. 7.00 ‡571 — Addtl for Tuning Gauges 20.00 754—For 16x30* B. D. 7.00 ‡572 — Utility Tympani, pair. 125.00 755—For 12x32* B. D. 7.00	544 - Tymp. Sticks, pair 2.25	
546 —Tymp, Sticks, pair		747-For 12x28" B. D 6.50
580 — Frisco Whietle		748 For 14x28" B. D 6.50
639 —Xylo. Case	580 -Frieco Whietle 2.00	
2570 —Universal Tympani, pair300.00 752—For 14x30° B. D. 7.60 753—For 16x30° B. D. 7.60 754—For 18x30° B. D. 7.60 754—For 18x30° B. D. 7.60 755—For 12x32° B. D. 7.60 7.60 7.60 7.60 7.60 7.60 7.60 7.6		
#571 —Addtl for Tuning Gauges 20.00 753—For 16x30" B. D. 7.00 754—For 18x30" B. D. 7.00 7.00 755—For 12x32" B. D. 7.00		
‡572 —Utility Tympani, pair 125.00 754—For 18x30° B. D 7.00		
7572 Othity Tympani, pair 125.00   755-For 12x32" B. D		
1979 Utility Tympani, pair 135.00 1 756-For 14x32' B. D. 8.00		755—For 12x32" B. D 7.00
	1373 Utility Tympani, pair 135.00 1	756—For 14x32' B. D. 8.00





## DEAGAN PROFESSIONAL NAGAED XYLOPHONE



The Deagan Professional Xylophone is the most popular and widely used Xylophone on the market today and thousands of them are giving excellent satisfaction in all parts of the world. We unhesitatingly recommend them to the Xylophonist who desires a first-class instrument for general use.

Deagan Professional Xylophones consist of bars of Nagaed wood which have been thoroughly seasoned for at least five years, mounted on quartersawed oak frames in connection with Deagan Patent Resonators, the whole being mounted on Deagan Telescope Rack.

Ninety percent of Xylophones with Resonators in use today are Deagan Professional Instruments.

## Bars 15/8"x15/16"

#865—3 Octaves, C to C Chromatic, 37 Bars. =870—3½ Octaves, F to C Chromatic, 44 Bars. =872—4 Octaves, C to C Chromatic, 49 Bars.

Four pairs assorted mallets included with each of the above instruments.

All instruments are tuned to Low Pitch, A-440.

We can furnish Trunks for Deagan Professional Xylophones. Prices quoted upon application.

Course of instruction for playing FREE to each purchaser.

(For prices refer to list enclosed)

-Page Twenty-Five-





#### TYMPANI TRUNKS

(For Universal Tympani)



As Tympani represents quite an investment, and their efficiency and period of service depend considerably on the manner in which they are protected, the importance of trunks should be given careful consideration.

Our hard fibre Tympani Trunks are far more substantial than any other on the market and will positively protect your Tympani against the usual rough handling.

The box is made of three-ply wood, covered on both sides with hard vulcanized fibre, black. In addition to being cemented to the box, the fibre is held firmly in place with bifurcated rivets.

All edges are reinforced by 1/8" gray fibre angles, and the corner bumpers, valance clamps, double strap hinges, combination dowel and handle loops are of

pressed steel. All trimmings a r e securely fastened with solid rivets and burrs. In fact, the entire trunk is put together with rivets —we use no nails whatever.

The inside of the Trunks are blocked and pad-

ded in a manner that absolutely protects the Tympani from injury. The stands are fastened securely in the lid, which is very convenient, as you can take them out and set them up before taking the Tympani from the trunks.

For Tympani 24 to 28 inches-#535.

(State size of kettles when ordering.)


## FRISCO SONG WHISTLE

The Frisco is the original Song Whistle. Used by most of the leading orchestras with wonderful results. Requires but little practice to master the instrument.

It is operated with a slide and tremolo effect, and notes are made on the same order as a slide trombone.

Made of brass Tubing, Nickel Plated; Length 12 inches.

#580 Frisco Song Whistle.







# DUPLEX "UNIQUE" BAND DRUMS



The most attractive Band Drum on the market today—At a moderate price. Has plenty of volume and very neat in design. This model also makes a fine drum for drum corps work. When you're on parade you want to outdo the other fellow, don't you? Well, here's the drum to do it with.

Shell is of laminated construction, heavily reinforced, which makes it just as strong as a solid shell, and much lighter in weight. Choice of Walnut, Mahogany or Bird's-Eye Maple Finish.

Counter Hoops are made of Steel, Copper Plated and Nickel Plated, producing a deep rich color.

Ten SEPARATE TENSION RODS. (Note our new style, self-aligning Lug, which is a safeguard against binding and stripping of threads.)

Best quality Heads.

Duplex Patent Snare Strainer and Muffler.

Choice of Waterproof or Silk Wire Wound Snares.

Num	ber	Size
360		6x15"
361	***************************************	/x15"
362		8x 15"
363		10x15"
364		6x16"
365	***************************************	7x16"
366		8x16"
367		10x16"
368		12x16"

NOTE: Waterproof snares are always furnished, unless otherwise specified.





## SEPARATE TENSION BASS DRUM RODS

#17-Complete Rod, for 10, 12, 14, 16 and 18" Shells.



#### SEPARATE TENSION SNARE DRUM RODS

#18—For 3, 4, 5, 6, 6½ and 7" Shells, without Cap Screws. For use on Artist, Unique and Champion Model Duplex Drums.

#### KEY PATTERN RODS



#19—For 3, 4, 5, 6, 7, 8, 9 and 10" Snare Drums.

#19-A-For 10, 12, 14, 16 and 18" Bass Drums.

#### THUMBSCREW SNARE DRUM RODS



#20—For 3, 4, 5, 6, 7, 8, 9 and 10" Shells.



#878—Lug for Champion Drum.

#879—Cap Screw for #18 Rods. a

#880—Hook for Key Rod, #19 or #19-A.

#### DRUM KEYS

#28—For Boy Scout Snare Drums and Key Rod Bass Drums, with 5/16" Square Hole. #29—For all Duplex Separate Tension Snare Drums, with 3/16" Square Hole.

NOTE: Owing to the fact that during our many years in business and the many different models in use, we would suggest that you send a sample of the parts wanted so that your order may be filled correctly, and avoid delays. When ordering Rods, GIVE THE DEPTH OF YOUR SHELL ONLY, not including hoops.

(For prices refer to list enclosed)

-Page Forty-Nine-





## **DUPLEX DRUM SLINGS**





- #22—2½" Web Sling for Snare Drum.
- #23—2" Leather Sling for Snare Drum, French Pattern.
- #24—2½" Web Sling for Bass Drum.
- #25-2" Leather Sling for Bass Drum.

#### INSTRUCTORS

Drums, Bells, Xylophones, Tympani and Accessories.

#### CARL GARDNER METHOD

- #369—Carl Gardner Method #1--For Drums and Accessories.
- #370—Carl Gardner Method #2--For Bells, Xylophones, Marimba and Chimes.
- #371—Carl Gardner Method #3--For Tympani.
- #372—Carl Gardner Method #4-All branches of Drumming complete in one book.

### HARRY A. BOWER SYSTEM

- #373—Harry A. Bower Method No. 1-For Drums and Traps.
- #374—Harry A. Bower Method No. 2--For Bells and Xylophones.
- #375—Harry A. Bower Method No. 3--For Tympani.
- #376—Harry A. Bower Method No. 4--Nos. 1, 2, 3 in one book.





## DUPLEX "ARTIST MODEL" ALL METAL DRUM

(America's Most Beautiful Drum)



The Duplex "Artist Model" SEPARATE TENSION Drum is in a class by itself. Made for hard usage and will stand the most severe tests. While this is a beautiful drum it is not a novelty, but one of the most popular models on the market.

The shell is made of Spring Brass, Counter Hoops are made of Aluminum, Angle Type, highly polished. Hoops constructed in this manner CANNOT WARP AND WILL REMAIN PERFECTLY ROUND UNDER ALL CIRCUMSTANCES. We guarantee this feature. Needless to say, Aluminum will not rust.

Eight Separate Tension Rods.

Duplex Patent Snare Strainer and Muffler.

Equipped with the Celebrated Jos. Reitz "Kangaroo" heads.

Choice of Waterproof or Wire Snares.

This drum is made in the following sizes suitable for any kind of work:

Number		Size
410	4	x14"
410-A	5	x14"
410-B	6	x14"
410-C	6	2x14"
410-D	7	x14"
511	4	x15"
511-A	5	x15"
511-B	6	x15"
511-C	6!	2x15"
511-D	7	x15"
511-E	8	x15"

NOTE: Unless otherwise specified, all snare drums are furnished with waterproof snares.

# Duplex Manufacturing Company

# 2815-17 HENRIETTA STREET ST. LOUIS, MO.

# CATALOG "M" PRICE LIST

All prices quoted herein are NET RETAIL, F. O. B. our factory, all Professional discounts having been deducted, and are subject to change without notice.

This takes the place of, and cancels all previous lists.

There is a Duplex Dealer near you, always happy and willing to serve you.

CONTRACTOR OF THE PARTY OF THE	朝文 3 日本 中田 8 日本 3 日本 3 日本
Catalog No. Price	Cutulog No. Price
10 -Brass B. H., pair \$0.50	*34B—18×34*60.00
11 —Rubber B. H., pair	¥35 —14x36* 61.00
12 —Weterproof, set	*35A—16x36"
13 —Waterproof, set	*35 B—18x36"63.50
14 —Wire, set	THE REAL PROPERTY AND PERSONS ASSESSED.
17 -B. D. Rod, each	50 —Small Woodblock
18 -S. D. Rod, each	50A-Medium Woodblock 1.00
19 -Key Red for S. D	50B-Large Woodblock 1.20
19A-Key Rod for B. D	52 -Large Musette
20 —Spare Drum Rod	53 —Small Musette 1,00
22 —Web for S. D. 1.00 23 —Leather for S. D. 1.75	54 —Musette Read
24 —Web for B. D. 1.25	55 — 9" Tom Tom\$3.00
25 -Leather for B. D. 2.50	55A-12" Tom Tom 7.50
26 —Steamboat Whistle 1.60	55 B—15" Tom Tom10,00
27 —Tugboat Whistle 1.30	56 —12" Chinase Cy
*28 —Key	
*29 —Key	57 —13" Chinese Cy
Company of the Compan	58 —15" Chinese Cy 5.00
SEPARATE TENSION BASS	59 —18" Chinese Cy 8.00
DRUMS	CAL THE PROPERTY OF THE PARTY O
Catalog No. Price	THUMBSCREW ORCHESTRA
*30 —12×24*\$34,00	DRUMS
*30A—12×26"36.50	Catalog No. Price
*30 B—14x26" 40.00	*60—3×14*
*31 — [2x28* 44.00	
*31A14x28* 45.00	*61—4x14* 22.50
*31B—16×28* 46.00 *31C—18×28* 47.00	V62—5x14° 22.50
	*63—3×15*
*32 —12x30" 47.50	#64—4×15° 22.50
*32A14x30*	*65—5x15* 22.50
*32B—16x30* 49.30 *32C—18x30* 50.50	*66—6x15*
+33 —12×32" 50.50	*69-Superior, Jr. Pedal 6.00
*33A-14x32* 51.50	*70-Superior Pedal
*33B-16x32" 52.50	*71—Spore pair
*33C—18×32" 53.50	*72 Band Cy. Halder 1.00
#34 —14x34*56.50	*73-Double Arm Holder Z.00
#34A_16+34* 58.00	• 74 Simple Asso Maldan 1 10





### DUPLEX "SUPERIOR" BASS DRUM AND CYMBAL BEATER

(Pat. Feb. 6, 1912.)



This improved Beater has the easiest and quickest action of any drum pedal yet produced; no lost motion or shake; has long stroke; direct lever action; compact and of sufficient weight to be durable and efficient. No complicated parts to get out of order.

The patented "Holdfast" clamp, with movable jaw of spring steel, when pressed into place by means of thumbscrews, will yield and conform to the curve of any size hoop, thereby greatly enlarging the contact surface. This feature makes it impossible for the pedal to work loose and insures perfect cymbal adjustment.

The patented "Holdfast" clamp will not mutilate or mar the hoops.

All movable parts are in perfect center. The treadle action adjustable spring tension beater rod works in line, thus eliminating side strain and lateral friction.

The cymbal striker is universally adjustable and can be used on right or left side of drum; thrown on or off instantly when bass drum alone is wanted, and adjusted to strike cymbal at any desired point.

The Foot Piece has an adjustable heel rest and guard.

The Cymbal Holder and Spurs are also provided with patented "Holdfast" clamps, same as the pedal base.

Made throughout of Malleable Iron and Bronze, and will stand hardest usage.

Weight complete with Cymbal Holder and Spurs-44 ounces.

Size Folded-31/2"x101/2".

#70 Superior Pedal, complete with Cymbal Holder and Spurs.

# The Duplex "ART" Bass Drum



DRUM CONSTRUCTION AT ITS BEST





# DUPLEX "UNIQUE" SEPARATE TENSION SNARE DRUM



# A HIGH GRADE DRUM AT A MODERATE PRICE!

Cracks like a whip! Attractive! Durable! Dependable!

Read the following description carefully, then note the very moderate prices.

The shell is made of Solid Maple—choice of Walnut or Bird's-Eye Maple Finish.

Steel Counter Hoops, copper plated, then Nickel Plated, giving it a very deep beautiful color.

Eight Separate Tension Rods—(Note our New Style Lug which insures perfect alignment, has a double bearing on the counter hoop, which naturally offsets binding and stripping of threads).

Best quality Heads.

Duplex Patent Snare Strainer and Muffler.

Choice of Waterproof or Silk Wire wound Snares.

Numb	er	Size
310		3x14"
311		4x14"
312		5x14"
313		6x14"
314		4x15"
315		5x15"
316		6x15"

NOTE: Waterproof snares are always furnished, unless otherwise specified.

(For special finishes refer to price list enclosed)



# Service and Dependability ......



### DOUBLE RATTLE WITH CRANK



Fastens on the drum hoop. Made of Rock Maple and Pressed Steel. Produces perfect roll. An absolute necessity to every drummer's kit.

#876-Double Rattle with Crank.

#### CASTANETS



Made of Boxwood.

#132-2 pairs on handle. #133-I pair on handle.

### CYCLONE WIND WHISTLE



The best and most reliable Wind Whistle on the market.

#91-Wind Whistle.

#### TRIANGLES



Made of best quality steel. Highly nickel plated. Price includes the beater.

#873-Six-inch Triangle.

#874-Eight-inch Tirangle. #875-Ten-inch Triangle.

#### DRUM SNARES

#12-Waterproof Snares, Orchestra size.

#13-Waterproof Snares, Band

#14-Coiled Steel Wire

Snares. #15—Silk Wire Wound Spares.

(All above numbers in sets of twelve.)

# DUPLEX STEAMBOAT WHISTLES



#26-Steamboat, Metal - #27-Tugboat, Metal -Three tones.

Three tones.

(For prices refer to list enclosed)

-Page Forty-Five-





## DUPLEX PEDAL CYMBAL HOLDER



Supplied with Patent "Holdfast" Clamp. Fits firmly on the Counter Hoop and will not jar loose or mar the hoop. We guarantee this feature. Made of Steel and Nickel Plated.


#175-Duplex Pedal Cymbal Holder.

# DUPLEX ADJUSTABLE WOODBLOCK HOLDER

This holder fastens on the Bass Drum Hoop and has a sliding pin with a Lock Screw, which will hold any size block securely, without any shake whatever. It places the block above the hoop in a convenient position, and is provided with the patent "Holdfast" Clamp.

Nickel Plated.

#176 Duplex Woodblock Holder.





#### DUPLEX DRUM SPURS

Duplex Spurs are made of malleable iron and supplied with patent "Holdfast" clamp, assuring you of the tightest grip possible. Never fear of your spurs working loose, if they are Duplex Spurs. Nickel Plated.

#71—Duplex Spurs, per pair.



### SPRING CRASH CYMBAL HOLDER

Adjustable to any angle and length. This holder can be used off center on hoop and still have the cymbal level. A mighty good trap.

#134-Spring Crash Cymbal Holder.

(For prices refer to list enclosed)

-Page Thirty-Seven-





# Instructions for Ordering

Avoid unnecessary delays by conforming to the following instructions:

On all orders of less than \$5.00, we require cash with the order.

Postage stamps will be accepted for orders amounting to \$1.00 or less.

For amounts over \$1.00, send Express or Postal Money Order or Bank Draft.

On receipt of sufficient amount to cover transportation charges both ways, which will be deducted from the bill, we will ship any of our drums, C. O. D., for the balance, subject to three days' trial.

Drums can be shipped C. O. D., via Parcel Post, but cannot be sent on trial, as postal regulations do not allow this privilege.

Mark all Express and Mail matter sent to us with your name and address in full, and notify us that same has been sent. When ordering goods via Parcel Post, include enough in your remittance to cover postage.

PREPAY TELEGRAMS. Unpaid telegrams will not be accepted by us.

Make all remittances payable to DUPLEX MANUFACTURING COMPANY.

By remitting the full amount with order you will save the cost of returning the money on C. O. D. shipments. We guarantee all of our goods to be just as represented in this catalog, and if not satisfactory, you may return them within five days, and we will gladly refund your money, providing, of course, they are in same condition as when received.

We offer as reference, National Bank of Commerce, St. Louis, Mo.

Goods sent by mail are at purchaser's risk. We advise that you send amount sufficient to cover insurance.

For prices, refer to list enclosed.

We reserve the right to change our prices without notice.

Yours respectfully,

# DUPLEX MANUFACTURING COMPANY, Inc.

WHEN ORDERING PLEASE BE SURE TO REFER TO CATALOG "M"

-Page Fifty-





# DUPLEX IMPROVED THUMBSCREW BASS DRUMS



The last word in Bass Drum Construction!

The New Duplex Bass Drum as above illustrated is the latest sensation, and is destined to revolutionize Bass Drum history. This model is equipped with the Duplex Rod, patented January 23rd, 1923. WILL NOT BIND OR STRIP. For full particulars see page 32.

Shell is of laminated construction. Choice of Mahogany or Bird's-Eye Maple Finish. Heavily reinforced with three hard maple hoops, which makes it just as strong as a solid shell and much lighter in weight. Counter Hoops of Hard Maple, Natural Finish.

Best quality Heads.

Made in the following sizes for all kinds of work:

Number	Size	Number		Size
2412-C	 24×12"	3018-C		30x18"
2612-C	 26x12"	3212-C		32×12"
2614-C	 26x14"	3214-C		32x14"
		3216-C		32×16"
2812-C	 28×12"		444444444444444444444444444444444444444	32x18"
2814-C	 28x14"	3218-C		
2816-C	 28x16"	3414-C		34x14"
2818-C	28x18"	3416-C		34x16"
3012-C	 30x12"	3418-C		34x18"
	 30x14"	3614-C		36x14"
3014-C	 D. D. SER. T. T.			36x16"
3016-C	 30x16"	3616-C	Associated and a secretary of the second second second	JOKIO





## DUPLEX "STANDARD" DRUM CORPS DRUM



Here is a Drum designed especially for drum corps purposes. Its neatness of design, sturdy construction, tonal qualities and moderate price have made it one of the most popular drum corps drums in the country.

This model is being used exclusively by many large organizations, and, needless to say, they have found it to give the best of satisfaction and service.

The shell is of laminated construction, heavily re-inforced, which makes it just as strong as a solid shell, and much lighter in weight. Remember weight means a great deal for drum corps purposes, as a heavy drum becomes very tiresome. You have your option of Mahogany or Bird's-eye Maple finish. A very attractive combination.

Counter Hoops are hard Maple, natural finish.

Equipped with ten Thumbscrew Rods with Center Supports to prevent them from sagging.

Good quality Hends.

Choice of Waterproof or Silk Wire wound Snares.

Special Pattern Snare Strainer.

Number	Size
1100,	10x15"
1101	10x16"
1102	12×16"

Price includes one pair of Hickory Sticks and Sling.

NOTE: Waterproof snares are always furnished, unless otherwise specified.





# DUPLEX IMPROVED THUMBSCREW BAND AND DRUM CORPS DRUM



This model represents drum construction at its best so far as the Single Tension Band or Thumbscrew Drums are concerned. It is very beautiful in appearance, and is a Drum that will deliver the goods. Plenty of volume and snap. Ideal for parade work.

Description as follows:

The Shell is of laminated construction, heavily re-inforced, choice of Walnut or Bird's-eye Maple finish. Counter Hoops of Hard Maple, natural finish.

Equipped with Thumbscrew Rods with Center Supports to prevent sagging.

Duplex Patent Snare Strainer and Muffler.

Best quality Heads.

Choice of Waterproof or Wire Snares.

Number	Size
5615	6x15"
5616	7x15
5617	8x15"
5618	10x15
5619	6x16"
5620	7x16"
5621	
5.5 5.5	10x16"
5623	12-16"

NOTE: Waterproof snares are always furnished, unless otherwise specified.

# KEY ROD SNARE DRUMS

MEI ROD SHARE DI	
Catalog No.	Price
75 —4x12*	\$ 7.50
77 -4=14"	8.50
77A-6x14"	
80 —3×14"	
81 -3x15"	_ 10.00
82 —4x15"	
82A-6x15"	10.00
B3 _4=16"	12.00
83A-6x16"	
AND DESCRIPTION OF REAL PROPERTY.	
89 Jazz Sticks, pair.	
91 -Wind Whiatle	1.00
† 94 -Hamilton Stand	
1 95 -Bell Stand	5.00
1 95 —Tambourine	
*112 —12' Ajaha, pair	- 0.0
*113 -13 Ajaba, pair	4 2 22
*113A-13" Ajaha, single	
*114 —14" A uha, pair	22.50
*114A-14" Ajaha, single	10.00
*115 -15" Ajaha, pair	
*115A-15" Ajaha, single	42 50
*117 —12" Brass, pair	
*117A-12" Brass, single	
132 —Castanuta	0.00
133 —Castanets	
1134 -Spring Crash Holder	
The state of the s	

# DUPLEX PATENT BASS DRUM ROD

Catalog No.	Price
*135 8" with C. P	\$0.70
*136-10" with C. P.	
¥137—12" with C. P.	70
*138-14" with C. P.	
*139-16" with C. P	
*140-18" with C. P	
*141-20* with C. P	
*142- 8" without C. P	60
*143-10" without C. P.	60
*144-12* without C. P	60
*145-14" without C. P	60
*146-16" without C. P.	65
*147-18" without C. P	65
*148-20" without C. P.	65
*175-Pedal Cy. Holder	1.00
*176-Woodblock Holder	75

# CHAMPION SNARE DRUMS

Catalog No.	Price
*214 -4x14"	\$28.00
*214A-5×14"	28.00
"214B-6x14"	28.00
*215 -4x15"	28.00
*215A-5x15*	28.00
#215B-6x15"	AN AN

## KE18" VOD BASS DRUMS

META AND PLANT BALL	THE RESERVE OF THE PERSON NAMED IN
Catalog No.	Price
250 -10×24*	\$19.00
250A-12×24*	20.00
251 —10×26°	10.10 (10.00)
251A-12x26*	22.00
252 12x28"	25.00
252A-14x28"	26.50
253 —12×30°	28.50
253A14x30°	30.00
254 12x32"	32.00
254A-14x32"	
send to brain the sent of the later	6.00
260 -14" Round Case	
261 -15" Round Case	
262 -16" Round Case	
263 -14" Tel. Cusc	
264 -15" Tel. Case	
265 -16-inch Tel. Case	
266 -14" Spec. Case	
267 -15" Spen Case	
268 -16" Spec. Case	
270 -26" D. B. Case	42 - 2
271 -28" B. D. Case	
272 -30" B. D. Case	
273 -32" B. D. Case	1000 22002
274 -34" B. D. Case	
275 -36" B. D. Case	61.JU

# UNIQUE SNARE DRUMS

AND THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN	
Catalog No.	Price
*310-3x14"	22.00
*311—4x14*	22.00
¥312—5×14*	23.00
*313-6x14*	25.00
*314 4x15"	22.00
*315-5x15"	24.00
*316-6x15"	25.00
For White or Black Shell add	4.00
For Bronze Gold Plated Trim. add.	4.00
For Real Gold Plated Trim. add	20.00

For either of above gold finishes add 5% to total cost of dram to cover Goverament Tax.

\$350-Marimba	 140.00
#352-Marimba	 150.00
1354-Marimba	 200.00

# UNIQUE BAND DRUMS

Catalog No.	Price
*360- 6x15"	\$28.00
*361- 7x15"	28,00
*362- 8x15"	29.00
*363-10x15"	29.00
*364- 6x16"	29.00
*365- 7x16"	29.00
*366- 8x16"	29.00
*367-10x16"	30.00
2240 12-16V	30.00





# "SYNCO-JAZZ STICKS"



A very handy novelty accessory which can be used for many purposes. Made with Aluminum handle and 200 fine steel wires with a semi-hard pure rubber ball on wire rod. The stick is designed for perfect balance and quick handling. Closes and opens with a slight push or pull on the ball end. Produces an endless variety of effects. The wire brush for alternating swish or taps on snare drum is effective for regular or after beats, sand block imitations, etc. The double end makes it possible to change quickly to muffled snare drum, bass drum beats, for woodblock, tom-toms or cowbells. Also used on cymbal and triangle for quick change to bells.

#89-Synco-Jazz Sticks, per pair.

### ELECTRIC DRUM HEATER

For all sizes bass and snare drums

A life-saver for the drummer in damp weather. There is nothing so disagreeable as to have to play on soggy heads. It not only makes playing difficult, but very tiresome, and you cannot possibly play as nice a job as on tight heads.

The heater gives no light, and with proper care will never burn out. It can be turned on or off at will and detached in a few seconds.

The Outfit includes the heater proper, which is 9½" in length by ½" in diameter, six feet of cord and two connecting plugs, all of which weighs but eight ounces. Practically indispensable and can be carried in a drum case or left in drum.

Is made to connect with an incandescent lamp socket of 110 voltage.



#726-For Snare Drum

#727-For Bass Drum

#728-For Tympani, per pair

(For prices refer to list enclosed)

-Page Forty-Three-





# DUPLEX "UNIVERSAL" DOUBLE ARM CYMBAL HOLDER



One of the latest Duplex creations. Most practical device of its kind on the market today. THE ONLY DOUBLE ARM CYMBAL HOLDER UNIVERSALLY ADJUSTABLE.

As noted from illustration it can be adjusted to any desired height over the Bass Drum. Either arm is adjustable to hold any size cymbal up to 20" in diameter.

Fits on the counter hoop with patent "Holdfast" clamp, and will not jar loose. Will not mar or mutilate the hoop—we guarantee it. Nickel plated.

#73 Universal Double Arm Cymbal Holder.

# DUPLEX "UNIVERSAL" CRASH CYMBAL HOLDER

Made along the same lines as the above illustrated holder. Universally adjustable. Fits on the counter hoop with patent "Holdfast" clamp, and will not jar loose or mutilate the hoop.

Nickel Plated.

#74 Universal Crash Cymbal Holder.





## **DUPLEX BAND CYMBAL HOLDER**

This cymbal holder may be used for Band or Crash Cymbal. It is constructed so as to allow the cymbal to vibrate freely; has a patented "Holdfast" clamp with movable jaw of spring steel which will conform to the shape of the hoop. This feature makes it absolutely impossible for it to jar loose.

Will not mar the counter hoops.

Nickel Plated.

#72-Duplex Band Cymbal Holder.

(For prices refer to list enclosed)

-Page Thirty-Six-





### "CHAMPION" DUPLEX DRUMS



Here's a rattlin' good drum!

Many of you are strong for Wood Separate Tension Drums. Well, here's one with Wood Shell and Wood Counter Hoops, and is the only Separate Tension Drum of its kind ever marketed.

This is one of the older Duplex leaders and there are still hundreds of them in use. This drum will be immediately recognized by drummers of the "Old School." Owing to its popularity we have decided to let the model stand as is.

Made with Laminated Shell, heavily re-inforced, Walnut finish.

Counter Hoops of Hard Maple, finished to match the Shell, and makes a very neat appearance.

Equipped with 10 Separate Tension Rods.

Duplex Patent Snare Strainer and Muffler mounted on Shell.

Jos. Reitz "Kangaroo" Heads.

Choice of Waterproof or Wire Snares.


Number	Size
214-	4x14"
214-A	5x14"
214-B	6x14"
215-	4x15"
215-A	5x15*
215-B	6x15*

NOTE: Waterproof Snares are always furnished, unless otherwise specified.





# PRINCIPLE OF CONSTRUCTION



The instruments can be tilted to any angle by means of a simple device on the back part of the stand.

The lever does not depend upon a separate clutch to hold it in the various tuning positions, but it is provided at the fixed end with a series of pawls that intermittently drop into serrations on the main tension block at the slightest movement of the lever, which makes a positive grip that will hold the tuning of the head without the least relaxation.

The gripping device is released by a forward pressure of the foot and secured by a backward motion. Nothing could be more natural, and the lever works so easily that very little effort is required in the tuning operation.

With the improved means of manipulation and the very efficient tuning gauge we have provided, no Musician need hesitate to take up the very interesting study and operation of these instruments, for we have eliminated all former difficulties and disadvantages, and made them just as practical and perfect as any other type of Musical Instrument.

# "UNIVERSAL TYMPANI" TUNING GAUGE

WHERE VERY RAPID or noiseless tuning is required, a tuning gauge is indispensable; therefore, we have provided for this contingency. Nothing has been left undone to make the Leedy "Universal" Tympani, practical and perfect in every detail. Our tone register is a marvel of simplicity, neatness and reliabilityit is completely adjustable to meet various influences of the atmosphere on the heads. The device is also a great help to beginners and those who do not possess a sufficiently acute Musical ear for rapid or difficult tuning. Such a person can devote a few minutes' time prior to their performance in setting the temperament of the heads and adjusting the gauge to correspond, after which they have a dependable guide in their tuning. See illustration.



(For prices refer to list enclosed)

-Page Twenty-Two-





### LEEDY "UNIVERSAL" TYMPANI

The Most Successful Pedal Tympani in the Music World



Leedy "Universal" Tympani Sizes 25 and 28 inches (Patent Pending)

The Leedy "UNIVERSAL" Tympani outclass anything of this kind ever invented. There is nothing within the possibilities of tympani performance that can not be accomplished on them.

These instruments might be properly termed combination tympani, as the pedal mechanism is an auxiliary attachment and does not in any manner change or interfere with the functioning of the hand screw principle; in fact, they can be used either way.

The Pedal action is so light and speedy and the compass so liberal that chromatic scales and melody execution is very easily acquired. This will afford composers and arrangers the long desired opportunity to make full use of the wonderful effectiveness of these instruments in the tone structure of their compositions, and is sure to accelerate their popularity and use, thus increasing the demand for experienced performers.

#570—"Universal" Tympani, Standard pair, 25 and 28 inches, including Sticks and Head Protectors.


(Other combinations furnished on request.)

#571—Additional for Tuning Gauges, per pair.





# DUPLEX MACKINTOSH DRUM COVERS



PROTECT YOUR DRUMS from rain and bad weather with Duplex Waterproof Mackintosh Drum Covers.

The Material from which these covers are made is the finest grade of WOVEN Mackintosh obtainable, FLEECE LINED. This cover will last the

life of your instrument and by way of preservation, gives big returns on the small investment. Remember, the life of an instrument depends greatly on the manner in which it is taken care of.

#### BASS DRUM COVERS


### SNARE DRUM COVERS

DASS DITOIT COTERS					Dirinte Ditem co reno
#740 741	for	8x24" 10x24"	Bass	Drum	#764 for 3x14" Snare Drum 765 " 4x14" "
742	**	12x24"			766 " 5x14" " "
743	**	14x24"	**	**	767 " 6x14" " "
744		10x26"	**	**	768 " 6½x14" " "
745		12x26"		**	769 " 7x14" " "
746	**	14x26"	3,8900	2000	110 3x13"
747		12x28"		**	771 " 4x15" " " 772 " 5x15" " "
748		14x28"			773 " 6x15" " "
		D C. 188 C. 75 L. C. 184			774 " 6½x15" " "
749		16x28"	***	***	775 " 7x15" " "
750 751		18x28" 12x30"	**	**	776 " 8x15" " "
752	**	14x30"	++		777 " 10x15" " "
753	**	16x30"	**	**	//0 0x10"
754	**	18x30"	**	**	//9 /x10"
755	**	12x32"	**	**	780 " 8x16" " " 781 " 10x16" " "
756	**	14x32"	**	**	782 " 12x16" " "
757		16x32"		**	
758		18x32"			SPECIAL NOTE: All of the
759 760		14x34" 16x34"	**	**	above dimensions are shell measure-
761		18x34"		**	ments only, and do not include counter hoops and trimmings. We
762	**	14x36"	**	**	make proper allowances for these
763	**	16x36"	**	**	items.





### DEAGAN JUNIOR XYLOPHONE



Folded to Pack in Suit Case.

The Deagan Junior Xylophone, while smaller in size than any other Deagan instrument, is nevertheless, a high-class Xylophone in every respect, and good enough for professional use, although originally designed to give the budding Xylophonist a thoroughly practical instrument at a very low figure.

The Deagan Junior Xylophone is made of Nagaed wood, the same as the higher-priced Deagan Xylophones, and is mounted on collapsible frames so that it packs in limited space.

Bars 11/4x1/8 inch.

#800-21/2 Octaves, G to C Chromatic, 30 bars.

One pair mallets included with each instrument.

All Instruments are tuned to low pitch-A-440.

Course of instruction for playing FREE to each purchaser.

(For prices refer to list enclosed)

-Page Twenty-Eight-





# "DUPLEX" SNARE STRAINER AND MUFFLER

(Pat. July 21st, 1914.)





The Duplex Patent Snare Strainer and Muffler is the very latest improved device of its kind; simple in construction,

#725-A

and efficient. Absolutely noiseless and CANNOT BE JARRED LOOSE. Is operated easily and rapidly: HAS NO SPRINGS OR COMPLICATED PARTS TO GET OUT OF ORDER.

By raising a small lever the snares are instantly removed from the head, which converts the drum into a Tom-Tom or Indian Drum, and by pressing the lever down, the tension is instantly restored, WITHOUT AFFECTING THE SNARE ADJUSTMENT.

The snares are adjusted in the same manner as on any ordinary snare strainer by means of a knurled thumbscrew, which rests on the top of the lifting bracket as shown in the above illustrations.

Our #725 Snare Strainer and Muffler, as shown above, is designed to be mounted on shells four inches in depth and over, and is fastened by means of two screws which hold it in perfect alignment.

The #725-A Model is intended for use on three-inch shells, and is MOUNTED ON THE COUNTER HOOP.

#725-For Shells 4" in depth and over.

#725-A-For 3" Shells.

(For prices refer to list enclosed)

-Page Thirty-Three-





## DUPLEX FIBRE DRUM CASES

We list below a fine assortment of Fibre Cases for both bass and snare drums.

All of these cases are made of HARD BLACK VULCANIZED FIBRE. and will last a lifetime. They are made very strong, and yet are light in weight—will not buckle. Handles are made of cowhide and will not pull loose. Corners are re-inforced with metal. Telescopic models are equipped with Leather Straps.

DO NOT NEGLECT YOUR INSTRUMENTS. Their life depends greatly on the manner in which you take care of them.

#### TELESCOPIC MODELS



### "NON ROLL" TYPE

#260 for 14" Snare Drum #261 " 15"

#262 " 16"



FIBRE BASS DRUM CASE (Telescopic Model)

Will accommodate any bass drum with shell from 12" to 16" deep.


#270—26" in Diameter #271—28" #272-30" " #273-32" " .. #274-34" "

#275-36" "

"SUITCASE MODEL"

With adjustable compartment

#263 for 14" Snare Drum #264 " 15" #265 " 16"



#### "SPECIAL" SNARE DRUM CASE

(Trunk model with trap compartment)

#266 for 14" Snare Drum #267 " 15" " " #268 " 16" " "

SPECIAL NOTE: All of the dimensions above listed are SHELL MEASUREMENTS ONLY, and do not include counter hoops and trimmings. Please hear this in mind when ordering to avoid delay and misunderstanding.

(For prices refer to list enclosed)

-Page Thirty-Eight-





### CHINESE WOODBLOCKS



#50-Small Size. #50-A-Medium Size. #50-B-Large size.

# TAMBOURINES Professional Model



Solid Rock Maple rim with 12 sets of jingles.

Best quality waterproof heads. #96—Professional Tambourine.

#### CHINESE CYMBALS FOR CRASH EFFECT



#56	12"
#57	13"
#58	15"
#59	18"

# CHINESE TOM TOMS Beautifully decorated.



#55	0"
#55-A	12"
#55-B	15"

### PRACTICE PAD



The most essential article for the student and teacher. Touch and feeling is the same as a real drum. Noise reduced to a minimum.

#877-Practice Pad.

#### CHINESE MUSETTES

A very necessary trap which produces weird effects for Oriental numbers.

#52-Large Size.

#53-Small Size.

#54-Musette Reed.



(For prices refer to list enclosed)


-Page Forty-Four-





### BASS DRUM HISTORY REVOLUTIONIZED!!

"DUPLEX" NEW MODEL THUMBSCREW BASS DRUM ROD (Pat. January 23rd, 1923.)



Our New Model Thumbscrew Bass Drum Rod is of entirely new design and construction, excels anything on the market today—and COSTS NO MORE THAN THE ORDINARY OLD STYLE ROD.

### LIGHT IN WEIGHT-DURABLE-ATTRACTIVE.

Improves the general appearance of a drum fifty per cent, aside from the following features:

Unlike the old style rods, this rod does not turn and tensioning is accomplished by turning the tube, which screws over the rod—see illustration.

The rod is made of steel and has full cut threads. The hooks are formed of steel and have a three-quarter inch bearing that will not mar the hoops. The Tensioning Sleeve is made of hard drawn brass tubing, has two-inch take-up, works easily and perfectly at every point of the thread AND WILL NOT BIND OR STRIP.

We are equipping all of our Thumbscrew Bass Drums with this rod.

With Center Supports	Without Center Supports		
#135 for 8" Shell	#142 for 8" Shell		
#136 " 10" "	#143 " 10" "		
#137 " 12" "	#144 " 12" "		
#138 " 14" "	#145 " 14" "		
#139 " 16" "	#146 " 16" "		
#140 " 18" "	#147 " 18" "		
#141 " 20" "	#148 " 20" "		

SPECIAL NOTE: When ordering give dimension of your SHELL ONLY. We make proper allowance for hoops, etc.